

# 2019 EU



Innovative Operative Solutions for Patient Positioning



Enhancing outcomes for  
patients and their caregivers:

**Hill-Rom**



# We Enhance Outcomes For Patients And Their Caregivers



**Hill-Rom**®

Enhancing outcomes for patients and their caregivers®



**Allen**®

Innovative operative solutions for patient positioning.



**Aspen**  
Surgical®

Enhancing patient and caregiver safety in the operating room.



**Trumpf**  
Medical™

Innovative solutions for enhanced safety and optimized workflow in the operating room.



**WelchAllyn**®

Smarter tools to assess, diagnose and treat patients with confidence.



**Liko**®

Protecting patients while mobilizing earlier and often.



**In the operating room,** we partner with you to provide safer and more efficient surgical care.

## Safety

**Patient and staff safety go together in the OR. Hill-Rom products are designed to help prevent:**

- Pressure-related injuries in the OR
- Ergonomic injuries
- Sharps injuries
- Wrong-site surgery

**42%**

*The percentage of hospital-acquired pressure ulcers that occur in surgical patients.<sup>1\*</sup>*

**6.5%**

*The increase in sharps injury rates in surgical settings since 2000.<sup>2\*</sup>*



**40**

*The approximate number of wrong site errors that occur per week in surgery in the US.<sup>3</sup>*



## Efficiency

70%

*The average hospital's revenue generated in the operating room.<sup>4\*</sup>*

40%

*The total hospital costs from the operating room.<sup>4\*</sup>*

**Hill-Rom provides a convergence of surgical technologies that provide efficient and safe OR utilization:**

- Increase flexibility in scheduling and efficient turnover
- Treat an expanded population through multiple product configurations and bariatric offerings
- Perform procedures of different types and complexity

1. <https://www.o-wm.com/content/intraoperatively-acquired-pressure-ulcers-are-there-common-risk-factors>  
2. J Jagger et al. (2011) Increase in Sharps Injuries in Surgical Settings Versus Nonsurgical Settings After Passage of National Needlestick Legislation. AORN Journal.  
3. Boodman S. (2011) The Pain of Wrong Site Surgery. The Washington Post.  
4. [https://www.openanesthesia.org/or\\_costs\\_labor\\_vs\\_materials](https://www.openanesthesia.org/or_costs_labor_vs_materials)

\*US Hospital Data



# About Allen Medical

## Innovative Operative Solutions for Patient Positioning

As an industry leader in patient positioning, our passion is improving patient outcomes and caregiver safety while enhancing efficiency. Our inspiration comes from providing innovative solutions to address our customers’ most pressing needs. We immerse ourselves in our customers’ world to better address the needs and the daily challenges of their environment. While developing solutions to address patient positioning challenges, or creating systems to offer safe and effective surgical site access for the surgical team, we are committed to providing products of exceptional value and quality.







## Product Ordering Information

- What’s Included

This row of the table contains the product parts, accessories and components that are shipped with the product at no additional charge.
- What’s Required

This row of the table contains the product parts, accessories and components that are required to use the product properly. These items are sold separately.
- What’s Optional

This row of the table contains additional optional products, accessories and components that can be used with the product and are sold separately.

<div><div>What’s Included</div><div><div><div>#A-70801 Allen Bow Frame 1 Included</div></div><div><div>#A-70821 Crank Arm 1 Included</div></div></div></div>	<div>Product Use Information</div>
<div><div>What’s Required</div><div>Choose One</div><div><div><div>#A-70810C Bow Frame Skin Care Covers Case of 6 Sets</div></div><div><div>#A-70810 Bow Frame Skin Care Covers Kit Case of 6 Sets</div></div></div></div>	<div>Product #</div> <div>This field contains the product # of the Allen product. This number is required when ordering or re-ordering a product.</div>
<div><div>What’s Optional</div><div><div><div>#A-70820 Replacement Pad Set</div></div><div><div>#A-70825 Foam Head Block Stand</div></div></div></div>	<div>Product Name</div> <div>This field contains the name of the Allen product.</div> <div>Quantity</div> <div>This field specifies the number of units required to operate a product, or the number of products shipped per container or case.</div>

Products Are Not Made With Natural Rubber Latex

# Table Of Contents

## 8 Spine

13	Allen® Advance Table	27	Wingset Body Positioners
18	Advance Table H-Brackets: Pin & Pinless Options	29	Allen® Bow™ Frame
20	Advance Table L2P™ Platform	31	Allen® 4-Post System
23	Allen® Spine System	33	C-Flex™ Head Positioning System
25	Spine System Lateral Package	35	C-Flex™ AP-Vantage System

## 43 Gynaecology / Urology / Laparoscopy

47	Ultrafins™ Stirrups	54	Knee Crutch
49	Yellofins™ Stirrups	55	Uro Catcher™ System
51	PAL Pro™ Stirrups	57	Easy Catcher™ Disposable System
53	Junior PAL™ & Little PAL™ Paediatric Stirrups	59	Allen® Hug-U-Vac™ Steep Trend Positioners

## 60 Orthopaedics

61	Allen® Lift-Assist™ Beach Chair	77	Allen® Traction Boot
65	Universal™ Head Positioner	78	Knee
67	Allen® Arm Positioner	81	Wrist & Hand
75	Allen® Hug-U-Vac™ Lateral Positioner		

## 86 General Accessories

87	Allen® Easy Irrigation Tower	94	Carts & Storage
89	Patient Transfer	96	Armboards & Arm Positioners
90	Clamps		

---

102	Product Index (Alphabetical)
-----	------------------------------

105	Product Index (By Part Number)
-----	--------------------------------

## Order Information

Sales +1 978 266 4256  
Cust. Service +1 978 266 4286  
Fax +1 978 266 4426  
alleninternationalorders@hill-rom.com

Allen Medical, 100 Discovery Way, Acton, MA 01720

**[www.allenmedical.com](http://www.allenmedical.com)**



# Allen Spine



# Spine Surgery Patient Positioning Systems, Backward Compatible, Future-Proofed & Unique



## Uniquely Featured Premium Solutions

### Allen® Advance Table *See page 13*

Allen's premium solution for complex spine surgical procedures. Designed with safety and maximum OR efficiency in mind, the Allen Advance Table offers pin or pinless options (*See page 18*) for the attachment of the patient platforms. Convenience features include a modern and intuitive user interface, central locking casters and a multi-control pendant. In addition, the Advance Table pin version can be used in conjunction with our new Lateral to Prone (L2P™) Platform (*See page 20*), which allows for simple and convenient repositioning of the patient from the Lateral to the Prone position without the need to move the patient to a new table.



## Table Extensions

### Allen Spine System *See page 23*

An innovative operating table extension that turns your standard operating table into a table capable of positioning patients for complex spine surgical procedures at a fraction of the price of a stand-alone spine table. It also offers the added advantage of saving space, storing in less than 0.5 sq m (6 sq ft).



## Table Top Attachments

*See pages 29 - 35*

Allen offers innovative table attachments for spine surgery that are compatible with standard operating tables, Allen Advance Table, Allen Flex Frame, or Mizuho OSI Modular Table System\*.

\*Compatible with rails that are 3.2 cm (1.25") wide x 3.8 cm (1.5") tall with a 36.8 cm (14.5") space between.

# Premium Solutions: Unique, Backward Compatible and Future-Proofed



## Unique Features: One Base, Multiple Options

180° Patient Rotation



90° Patient Rotation



One Base: Pinned and/or Pinless





## Highly Compatible: Maximizing Investments

Compatible with Allen Advance Table tops, and specified Mizuho OSI tops\*



#A-71701  
Advance Lateral Top



#A-71400  
Advance Rail Top  
(with accessories)



#A-71410  
Advance Flat Top

\*5840-831 OSI Spinal Surgery Table Top - Prone/Rail Top (1997 – April 2015), 5840-726 OSI Imaging Top w/Tempur-Med® Pad - Supine/Flat (1997 – April 2015)





180° and 90° Rotation Capabilities



Modern Intuitive User Interface



EZ-Roll, Centrally Locking Castors



Safety  
Designed In...



# Allen® Advance Table CE



## A Premium Solution For Complex Spine Surgical Procedures Designed With Improved Safety Features

The Allen Advance Table is designed with a new safety feature to ensure that if the pin that connects the “H-Bracket” to the table base is accidentally pulled out, the patient support top will not fall to the floor. In addition, this solution offers a modern and intuitive user interface with convenience features such as central locking casters — all at a desirable cost.

- Modern user interface helps the user understand the “state” that the table is currently in e.g. locked, unlocked, tilted, trend or reverse trend
- Central locking castors controlled directly from the pendant
- EZ-Roll castors help the caregiver when transporting the table around the operating theatre
- Numbered H-Brackets help with communication between caregivers when attaching the different tops to the base
- 180° and 90° rotation capabilities
- Patient weight capacity:  
Allen Advance Table: 272 kg (600 lbs)  
Advance Table L2P™ Platform: 181 kg (400 lbs)



- Innovative “H-Bracket” design ensures that if the pin connecting the H-Bracket to the table base is accidentally pulled, the patient support top will not fall to the floor



# Advance Table Package #A-71001

The Advance Table Standard Package includes everything you need for standard prone and supine spine surgical positioning. The package also includes a convenient rolling accessory cart so you can store your tops, rails, supports, etc. all in one place. If you wish to upgrade your table for special positioning needs, we offer a Premium and a Complete Package with additional accessories included. *See page 17*



## What's Included



#A-71101-EU\*  
Advance Table  
1 Included



#A-71413\*\*  
Advance Pendant  
1 Included



#A-71402  
Advance H-Bracket  
4 Included



#A-71401  
Advance Pins  
8 Included



#A-71404  
Cervical  
Traction Bar  
1 Included



#A-71411  
Advance Safety Straps  
4 Included



#A-71410  
Advance Flat Top  
1 Included



#A-70436  
Advance Flat  
Top Pad  
1 Included



#A-71400  
Advance Rail Top  
1 Included



#A-71300  
Advance Prone  
Support Set  
1 Included  
*See page 16*



#A-71501†  
Adjustable  
Accessory Rail  
1 Included



#A-71502  
Clamp: Adjustable  
Accessory Rail  
1 Included



#A-71319  
Articulating Arm  
Support  
2 Included



#A-71320  
Articulating Arm  
Support Clamp  
25.4 cm (10")  
2 Included



#A-70501-EU (EU)†  
Accessory Rail  
6" (15.2 cm)  
2 Included



#O-RSX2  
Large Security Strap  
2 Included



#A-71600  
Advance  
Accessory Cart  
1 Included



Power Cord  
(Country Specific)  
1 Included

## What's Optional



#A-70500-EU (EU)†  
Armboard Rail



#A-70615-EU (EU)†  
Advanced Arm Support



#A-71314  
Allen® Advance  
Pillow – Standard



#A-71313  
Allen Advance  
Pillow – Queen

\*Specify Language.

\*\*Older pendant available, call Customer Service for more information.

†Specify Rail Type: EU, UK, US. See product page for other part numbers.

# Advance Prone Support Set #A-71300

*Included With All Advance Table Packages*

The Advance Table Prone Support Set is a comprehensive patient support system for the prone position. Although it was developed with the Allen® Advance Table, this prone support system is also compatible with the Allen Flex Frame and the Mizuho OSI Modular Table System\*. The hip pads have been developed in several sizes to help accommodate different patient shapes and sizes. In addition, the chest, hip and thigh support pads are constructed using a patented multi-layer foam construction similar to that of the popular Allen Wingsets, which is designed to aid in reducing sheer pressures on the skin.

## What's Included



#A-71303  
Small Hip  
Support With Pad  
2 Included



#A-71305  
Medium Hip  
Support With Pad  
2 Included



#A-71307  
Large Hip  
Support With Pad  
2 Included



#A-71309  
Left Thigh  
Support With Pad  
1 Included



#A-71311  
Right Thigh  
Support With Pad  
1 Included



#A-71301  
Chest Support  
With Pad  
1 Included



#A-71316  
Head Plate  
1 Included



#A-71312  
Sling Support  
1 Included



#A-70404  
Supine Accessory  
Top 12" (30.5 cm)  
2 Included



#A-70434  
Supine Accessory  
Top Pad 2" (5 cm)  
2 Included

## What's Required



#A-70862  
Foam Head Blocks  
Case of 6 Sets Included



#A-71262  
Medium Ultra  
Comfort Covers  
Case of 6 Sets Included



#A-71261  
Small Ultra  
Comfort Covers  
Case of 6 Sets



#A-71263  
Large Ultra  
Comfort Covers  
Case of 6 Sets



#A-70863  
Foam Arm Supports  
Case of 6 Sets

## What's Optional



#A-70500\*\*  
Armboard Rail



#A-70615-EU (EU)\*\*  
Advanced Arm Support



#A-71314  
Allen Advance  
Pillow – Standard



#A-71313  
Allen Advance  
Pillow – Queen

\*Compatible with rails that are 3.2 cm (1.25") wide x 3.8 cm (1.5") tall with a 36.8 cm (14.5") space between.

\*\*Specify Rail Type: EU, UK, US. See product page for other part numbers.

# Advance Premium Package Upgrade

#A-71002



#A-70700  
C-Flex Head Positioning System  
1 Included

Upgrade your Advance Table to the Premium Package with the addition of the C-Flex™ Head Positioning System.

The C-Flex Head Positioning System can be used in all types of spine surgery including posterior cervical surgery that utilises skull clamps with pins. The quick-connect coupler makes connecting to a skull clamp easy. Ability to “squeeze and position” supports readjustments intraoperatively. An extensive range of motion makes the C-Flex system ideal for use with extremely kyphotic patients, anterior artificial discs and lateral procedures.

*See page 33 for more information on the C-Flex Head Positioning System*

# Advance Complete Package Upgrade

#A-71003



#A-70700  
C-Flex Head Positioning System  
1 Included

Upgrade your Advance Table to the Complete Package with the addition of both the C-Flex Head Positioning System and the Allen® Bow™ Frame.

The C-Flex Head Positioning System can be used in all types of spine surgery including posterior cervical surgery that utilises skull clamps with pins. The quick-connect coupler makes connecting to a skull clamp easy. Ability to “squeeze and position” supports readjustments intraoperatively. An extensive range of motion makes the C-Flex system ideal for use with extremely kyphotic patients, anterior artificial discs and lateral procedures.

*See page 33 for more information on the C-Flex Head Positioning System*



#A-70800  
Allen Bow Frame  
1 Included

The Bow Frame's shape creates the desired reverse lordosis needed to open the intervertebral spaces. The Bow Frame enables the patient's abdomen to hang free during procedures. It is also radiolucent and allows for unrestricted C-arm access. The removable crank is used to adjust the amount of flex and tension in the patient supports.

*See page 29 for more information on the Allen Bow Frame*

# Advance Table H-Brackets: Pin & Pinless Options

Allen now offers pin and pinless options meeting the variation in customer preferences.

## Allen® Advance Table With Pin Set-Up

The Advance Standard H-Bracket design ensures that if the pin connecting the H-Bracket to the table base is accidentally pulled, the patient support top will not fall to the floor.



The Advance Standard H-Bracket offers a simple, traditional and intuitive connection system for patient support tops. The innovative connection system ensures that if the pin connecting the H-Bracket to the table base is accidentally pulled, the patient support top will not fall to the floor.

- Numbered H-Brackets help with communication between caregivers when attaching different tops to the base
- Safe & simple pin insertion
- Easily accessible pin storage on column of base



## Advance Table Standard H-Bracket #A-71402

### What's Optional



#A-71404  
Cervical Traction Bar  
For use with Pin Set-up



#A-71417  
Cervical Traction Device  
For use with Pin and  
Pinless Set-up




## Allen® Advance Table With Pinless Set-Up

The innovative Pinless H-Bracket design maintains the safety offered in our pin design, but eliminates the extra steps of utilizing the cross-pins for securing the patient support top to the Allen Advance Table base.



The innovative Advance Pinless H-Bracket option combines safety with an easy to use table-to-base attachment system.

- Secure and controlled movement of the patient
- Attachment of patient support tops to base without the use of cross pins
- Backward compatible with all Allen Advance Tables



Not compatible with the Advance Table L2P™ Platform.

## Advance Table Pinless H-Bracket #A-71416 CE

### Pinless Packages

#A-71414 Set of 4 Pinless H-Brackets & 1 Cervical Traction Device

#A-71415 Set of 2 Pinless H-Brackets & 1 Cervical Traction Device



Cervical Traction Device #A-71417

# Advance Table L2P™ Platform #A-71700 c€

The Advance Table L2P Platform can be used with the Allen® Advance Table\* to provide a flexing, lateral surgical patient support platform. The accessories in this set allow a lateral patient to be rotated directly onto the prone supports via the manual rotation capabilities of the Allen Advance Table.\*

- Utilise the Allen Advance Table for lateral procedures\*
- Create patient flex to open the surgical space
- Single support pad to help reduce shear when flexing
- Integrated air bladder for additional patient flex
- Locks at 90° intervals\*
- Works for left or right side lateral approaches
- Eliminates the need to log roll into prone position
- C-arm and O-arm access
- Compatible with standard Advance Rail Top
- Patient Weight Capacity: 181 kg (400 lbs)



\*Only compatible with tables with auxiliary power port. For tables without auxiliary power port, please check with your Allen Representative or call Customer Service to confirm compatibility.

## What's Included



#A-71701  
Advance  
Lateral Top  
1 Included



#A-71703  
Advance Lateral  
Top Pad  
1 Included



#A-71706  
Advance Lateral  
Drawsheet  
Case of 12 Included



#A-71702-L  
Advance Lateral  
Bracket  
2 Included



#A-71702-P  
Advance Prone  
Bracket  
2 Included

## What's Required



#A-71704  
Advance Lateral  
Air Bladder  
1 Included



#A-71706  
Advance Lateral  
Drawsheet  
Case of 12

## What's Optional



#A-71708-1  
Offset Accessory  
Rail - Left



#A-71708-2  
Offset Accessory  
Rail - Right



#A-71705-EU\*  
Advance Lateral  
Air Compressor



#A-71709  
Air Compressor  
Tube Set



#A-71600  
Advance  
Accessory Cart



#O-UPBL3S  
Lateral Brace  
3 Piece Set



#O-ABMT  
Multi-Task Armboard



#O-AMA97X1.0S  
Clamshell Armboard  
1" (2.5 cm) Pad



#O-ABSLT  
Easy Armboard  
With Trigger



#O-AMA96X3.0S  
Clamshell Armboard  
7.6 cm (3") Pad



#A-70501-EU (EU)\*\*  
Short Accessory Rail



#A-70502-EU (EU)\*\*  
Long Accessory Rail




#A-40023 (EU)\*\*  
Easy Lock™ Socket



#A-40041 (EU)\*\*  
Easy Lock™ Blade Clamp

\*Specify Country: EU, UK, US

\*\*Specify Rail Type: EU or EUR, UK, US. See product page for other part numbers.



With C-Flex™ Head Positioner



With C-Prone Head Positioner



Saves Storage Space

## Allen® Spine System Components:



- A** C-Flex Head Positioner
- B** Standard Wingset
- C** Flex Frame

- D** Flex Frame Armboard Rail
- E** Flex Frame Operating Table Clamp Set
- F** Prone Arm Supports

- G** Easy Lock™ Socket
- H** Supine Top Pads
- I** Supine Top Set



# Allen® Spine System



## An Innovative Table Extension That Turns Your Existing Standard Operating Table Into A Spine Table For Complex Spine Surgical Procedures

The Allen Spine System is an extension for your standard operating table that enables you to perform spine surgery with the positioning benefits of a stand-alone spine table such as the Allen Advance Table. In addition, it offers intraoperative lumbar flex and a small storage footprint. The advanced accessories adjust to fit the individual patient's anatomy.

- Intraoperative Flex: Use the power of the table to flex and reposition the patient
- Radiolucent Extension 1220 mm x 430 mm (48" x 17"): Provides excellent C-arm and O-arm access
- Optimised Pressure Management: Chest, hip and head supports
- Versatile: Prone, lateral and supine positioning
- Range of Motion: Provides 20° lateral tilt, trend and flex powered by the operating table
- Height: 635 mm - 965 mm (25" - 38")
- Fits operating tables with outside rail width 510 mm - 610 mm (20" - 24")
- Lateral Package available *See page 25*
- Patient Weight Capacity: 227 kg (500 lbs)
- Saves Space: Stores in less than 0.5 sq m (6 sq ft) and accessories can be stored on the frame





# Spine System Packages

The Allen® Spine System includes everything below. You also have the choice of an appropriate head positioner based on your surgical needs:

- Choose the C-Flex™ Head Positioning System Package #A-70002 if you require an advanced head positioner with simple “squeeze and position” technology that can be used to position the head for all types of spine surgery, including posterior cervical surgeries that require skull clamps and pins.
- Choose the C-Prone Head Positioner Package #A-70000 if you require a standard head positioner that helps position the head quickly and simply for lumbar surgery only.

## What's Included



#A-70100  
Flex Frame  
1 Included



#A-70610  
Prone Arm  
Supports  
2 Included



#A-70400  
Supine Top Set  
4 Included



#A-70435, #A-70434\*  
Supine Top Pads  
7.6 cm (3"), 5 cm (2")  
4 Included



#A-70200  
Standard Wingset System  
Chest + Hip  
1 Included  
*See Page 27*



#A-70260  
Comfort Cover Disposables  
Case of 5 Sets Included



#A-70310  
Comfort Mask Disposables  
Case of 5 Included



#A-70510-EU (EU)\*\*  
Flex Frame  
Operating Table Clamp Set  
1 Pair Included



#A-70500-EU (EU)\*\*  
Armboard Rail  
2 Included



#A-40023 (EU)\*\*  
Easy Lock™ Socket  
2 Included

## What's Optional



#A-70501-EU (EU)\*\*  
Short Accessory Rail



#A-70502-EU (EU)\*\*  
Long Accessory Rail



#A-70615-EU (EU)\*\*  
Advanced Arm Support



#O-AMA97X1.0S  
Clamshell Armboard  
2.5 cm (1") Pad



#A-70270  
Contour™ Breast Positioner

\*Specify Thickness.

\*\*Specify Rail Type: EU, UK, US. See product page for other part numbers.

# Complete Your Package

Select A Head Positioner To Complete Your Package Choice

## C-Flex™ Package: #A-70002



#A-70700  
C-Flex Head Positioning System  
1 Included

The C-Flex Head Positioning System can be used in all types of spine surgery including posterior cervical surgery that utilises skull clamps with pins. The quick-connect coupler makes connecting to a skull clamp easy.

*See page 33 for more information on the C-Flex Head Positioning System*

## C-Prone Package: #A-70000



#A-70300  
C-Prone Head Positioner  
1 Included

The C-Prone Head Positioner allows for vertical and rotational adjustment of the head in the prone position. It includes a fold away mirror and allows for easy airway access.

# Spine System Lateral Package #A-70230

Upgrade your Spine System by purchasing the Spine System Lateral Package. It provides intraoperative FLEX for procedures such as XLIF and DLIF.

## What's Included



#A-70257  
Lateral Hip Pad  
1 Included



#A-70501-EU (EU)\*  
Short Accessory Rail  
1 Included

\*Specify Rail Type: EU, UK, US.  
See product page for other part numbers.





# Optimised

## For Pressure Management & Adjustability



Scoliosis



Paediatric Patients



Prone And Lateral Positioning

# Wingset Body Positioners #A-70200

## Supports That Adjust To Fit The Patient

The wingsets are prone patient supports that have been optimised for pressure management and adjustability. These supports accommodate varying patient anatomies.

- Allows abdomen to hang free
- Designed to reduce compression of brachial plexus
- Offers sternal decompression
- Adjustable for barrel-chested, paediatric and scoliosis patients
- Used with shear-reducing, moisture-absorbent comfort cover disposables
- Multi-layer pad design for optimal pressure management
- Accommodates paediatric to adult patients
- Pads adjust to widths of 254 mm - 457 mm (10" - 18")
- Fits the Allen® Advance Table
- Fits the Allen Flex Frame
- Fits the Mizuho OSI Modular Table System\*
- Patient weight capacity: 227 kg (500 lbs)

Optional Cut-Out Hip Wingset is ideal for larger patients. The Cut-Out Hip Wingset must be used with the Standard Chest Wingset.

## What's Included



#A-70200  
Standard Wingset System  
Hip & Chest  
1 Included



#A-70260  
Comfort Cover Disposables  
Case of 5 Sets Included

## What's Optional



#A-70203  
Standard Chest Wingset



#A-70204  
Chest Wingset With  
Radiolucent Screws



#A-70205  
Hip Wingset With  
Radiolucent Screws



#A-70201  
Cut-Out Hip Wingset



#A-70202  
Paediatric Wingset System  
Hip & Chest



#A-70220  
Standard Wingset  
Replacement Pads



#A-70221  
Paediatric Wingset  
Replacement Pads



#A-70270  
Contour™ Breast Positioner

\*Compatible with rails that are 3.2 cm (1.25") wide x 3.8 cm (1.5") tall with a 36.8 cm (14.5") space between.



Easy To Set-Up



Skin Care Disposables




Storage Cart



Bow™ Frame  
On Operating Table



Bow Frame On  
Allen® Advance Table



Bow Frame  
On Allen Flex Frame



Bow Frame  
On Mizuho OSI MTS



# Allen® Bow™ Frame #A-70800 c€

Versatile - Compatible with Standard Operating Tables, Allen Advance Table, Allen Flex Frame Or Mizuho OSI Modular Table System

The Allen Bow Frame is a platform used to perform less complex spine surgeries. The Bow Frame is more versatile than the existing Wilson™ Frame, as the single device attaches to standard operating tables, Allen Advance Table, Allen Flex Frame and the Mizuho OSI Modular Table System\*.

Its shape creates the desired reverse lordosis needed to open the intervertebral spaces. The Bow Frame enables the patient's abdomen to hang free during procedures. It is also radiolucent and allows for unrestricted C-arm access. The removable crank is used to adjust the amount of flex and tension in the patient supports. Every Bow Frame comes with a storage cart. Ideal for use with Laminectomy, Microdisc procedures, Disc procedures, Fusion procedures, Decompressions, and Foraminotomy.

- Fits standard operating tables
- Radiolucent
- Device weight: 12.7 kg (28 lbs)
- Patient supports are adjustable to fit patients of various sizes
- Patient supports adjust laterally up to 19 cm (7.5") to relieve pressure on the patient's abdomen
- Patient weight capacity: 227 kg (500 lbs)
- Lightweight for easy set-up
- Compact for easy storage
- Storage cart included for easy transport
- Skin Care Cover disposables are comprised of cosmetic foam

## What's Included



#A-70801  
Allen Bow Frame  
1 Included



#A-70821  
Crank Arm  
1 Included



#A-70815\*\*  
Bow Frame Cart  
1 Included

## What's Required *Choose One*



#A-70810C  
Bow Frame  
Skin Care Covers  
Case of 6 Sets



#A-70810  
Bow Frame  
Skin Care Covers Kit  
Case of 6 Sets



#A-70805  
Bow Frame  
Standard Covers Kit  
Case of 6 Sets



#A-70862  
Allen Foam  
Head Block  
Case of 6

## What's Optional



#A-70822†  
New Replacement Pad Set  
Pad Part No.: P008429XASX0



#A-70820†  
Old Style Replacement Pad Set  
Pad Part No.: P005496XASX0



#A-70825  
Foam Head Block Stand

\*Compatible with rails that are 3.2 cm (1.25") wide x 3.8 cm (1.5") tall with a 36.8 cm (14.5") space between.

\*\*Specify Rail Type: US, EU, UK. See product page for other part numbers.


†To identify correct replacement pad type, please refer to the pad part number on the underside of the pad.



Easy To Set-Up



Works With Standard Wingsets



Proven Pressure Management



# Allen® 4-Post System #A-71201, #A-71200

## Versatile And Easy To Use: Set Up On Your Standard Operating Table Within Minutes

The Allen 4-Post System is a lightweight, versatile platform that attaches to a standard operating table via short or long attachment straps and allows the surgeon to place patients in a prone or lateral spine position. Lordosis, kyphosis and a neutral position of the lumbar spine is now achievable without the use of a large and expensive specialty platform. The 4-Post System is designed to allow the patient's abdomen to hang freely, which may help reduce vena caval pressure. This also offers the ability to place an x-ray plate under the patient and provides unrestricted C-arm access.

Ideal for use with Laminectomies, Discectomies, Osteotomies, Fusions, and other prone and lateral procedures.

- Fits standard operating tables
- Radiolucent
- Weighs under 10 lbs (4.5 kg) without the Wingsets
- Patient weight capacity: 227 kg (500 lbs)
- Skin Care Cover disposable made of cosmetic foam
- Compact for storage
- Lightweight and easy to set-up
- Easy to adjust for different size patients

### Package Options *Choose One*

#### #A-71201

Low Height Package



#A-70202  
Paediatric Wingset System  
Hip & Chest  
1 Included

#### #A-71200

Standard Height Package



#A-70200  
Standard Wingset System  
Hip & Chest  
1 Included

### What's Included



#A-70207  
Allen 4-Post System Frame  
1 Included + 4 Short Straps



#A-70260  
Comfort Cover Disposables  
Case of 5 Sets Included



#A-70208  
Long Attachment Straps  
2 Included



#A-70825  
Foam Head Block Stand  
1 Required



#A-70862  
Allen Foam Head Block  
Case of 6

### What's Required

### What's Optional



#A-70209  
Replacement Short  
Attachment Straps



#A-70221  
Paediatric Wingset  
Replacement Pads



#A-70220  
Standard Wingset  
Replacement Pads



#O-PRSLH  
Medium Security  
Strap




#A-70615-EU (EU)\*  
Advanced Arm Support



#A-70500-EU (EU)\*  
Armboard Rail

\*Specify Rail Type: EU, UK, US. See product page for other part numbers.



Just Squeeze And Position




Anterior Access



Kyphotic Patients

## Precision Adjustments



# C-Flex™ Head Positioning System #A-70700

## Makes Head Adjustments Easy... Just Squeeze And Position

The modular system can be used in all types of spine surgery. The quick-connect coupler makes connecting to a skull clamp easy. Ability to “squeeze and position” supports readjustments intraoperatively. An extensive range of motion makes the C-Flex system ideal for use with extremely kyphotic patients, anterior artificial discs and lateral procedures.

- Cervical flexion / extension
- Lumbar positioning
- Adjust vertically for kyphotic patients
- Lateral positioning
- Device weight: 9 kg (20 lbs)
- 15.2 cm (6") lateral adjustment range
- 71 cm (28") height adjustment range
- 23 cm (9") extension adjustment range
- +/- 15° lateral tilt
- Works with Standard and Radiolucent Skull Clamps and Headrest Systems from DORO® and Mayfield®\*
- Includes fold-away mirror
- Easy airway access
- Fits the Allen® Advance Table
- Fits the Allen Flex Frame
- Fits the Mizuho OSI Modular Table System\*\*
- Patient weight capacity: 227 kg (500 lbs)

## What's Included



#A-70701  
C-Flex Head Positioning  
System Base Unit  
1 Included



#A-70310  
Comfort Mask  
Disposables  
Case of 5 Included



#A-70702  
C-Flex Clean Cape  
Disposables  
Case of 10 Included



#A-70710  
Starburst Adaptor for  
Standard Mayfield or DORO\*  
1 Included



#A-70715  
Prone Mask Head Module  
1 Included



#A-70720  
Flat Plate Head Module  
1 Included

## What's Optional



#A-70725  
Reverse Starburst Adaptor for  
Standard Mayfield or DORO\*



#A-70730  
Starburst Adaptor for  
Radiolucent Mayfield\*



#A-70735  
Reverse Starburst Adaptor for  
Radiolucent Mayfield\*



#A-70740  
Starburst Adaptor for  
Radiolucent DORO\*



#A-70745  
Reverse Starburst Adaptor for  
Radiolucent DORO\*



#A-70750  
45° Standard Starburst for  
Radiolucent Mayfield\*




#A-70755  
45° Standard Starburst for  
Radiolucent Doro\*

\*Compatible with Mayfield & Doro Standard Skull Clamps, Mayfield Horseshoe Headrest (with Mayfield Conversion Adaptor) and Doro Horseshoe Headrest with a 3/8-16 UNC thread and a 40 tooth hirth joint. Compatible with Radiolucent Mayfield Skull Clamps with a 1/2-13 UNC thread and a 40 tooth hirth joint. Compatible with Radiolucent Doro Skull Clamps with a M16 x 2 thread and a 40 tooth hirth joint.

\*\*Compatible with rails that are 3.2 cm (1.25") wide x 3.8 cm (1.5") tall with a 36.8 cm (14.5") space between.





Artifact-Free Zone



Odontoid Screw



Optional Leg



# C-Flex™ AP-Vantage System #A-70110, #A-70111

## Advanced Table Imaging Capabilities For Your Operating Table

The unique product design eliminates obstructions, leaving nothing but the patient in the shot. C-Flex AP-Vantage System provides for high quality cervical images on an operating table.

The system can be used for both anterior and posterior cervical surgeries; it includes an operating table adaptor (with carbon fibre rails) and the C-Flex head positioning system. All the benefits of the C-Flex system for the operating table with a variety of different head attachments.

Ideal for surgical procedures requiring Odontoid Screws, Cervical Fusion or Artificial Cervical Discs.

- Artifact-Free Imaging
- Squeeze & Position with C-Flex
- Easy Precision Adjustments Intraoperatively
- Added Stability with Optional Leg
- Device Weight: 9 kg (20 lbs)
- Works with Standard and Radiolucent Skull Clamps and Horseshoe Headrest from DORO® and Mayfield®\*
- Fits Operating Tables with Outside Rail Width 508 mm - 648 mm (20" - 25.5")
- Fits Most Accessory Rail Types (EU, UK, US)
- Patient Weight Capacity: 227 kg (500 lbs)

### Package Options *Choose One*

#### #A-70110

Includes C-Flex Head Positioning System



#A-70700  
C-Flex Head Positioning System  
1 Included

#### #A-70111

Does Not Include C-Flex Head Positioning System

## What's Included



#A-70115  
C-Flex AP-Vantage  
Operating Table Adaptor  
1 Included



#A-70118  
C-Flex 45°  
Starburst Adaptor  
1 Included



#A-70117  
C-Flex Traction Bar  
1 Included



#A-70116  
C-Flex AP-Vantage Leg  
1 Included

## What's Optional



#A-70702  
C-Flex Clean Cape Disposables  
Case of 10



#A-70750  
45° Standard Starburst for  
Radiolucent Mayfield\*



#A-70755  
45° Standard Starburst for  
Radiolucent Doro\*

\*Compatible with Mayfield & Doro Standard Skull Clamps, Mayfield Horseshoe Headrest (with Mayfield Conversion Adaptor) and Doro Horseshoe Headrest with a 3/8-16 UNC thread and a 40 tooth hirth joint. Compatible with Radiolucent Mayfield Skull Clamps with a 1/2-13 UNC thread and a 40 tooth hirth joint. Compatible with Radiolucent Doro Skull Clamps with a M16 x 2 thread and a 40 tooth hirth joint.



## Armboard Rail #A-70500-EU

Compatible with the Allen® Advance Table, Allen Flex Frame and the Mizuho OSI Modular Table System\*. Length of rail is 15.2 cm (6"). Patient Weight Capacity: 227 kg (500 lbs).

### Specify Rail Type

EU #A-70500-EU  
UK #A-70500-UK  
US #A-70500



## Short Accessory Rail #A-70501-EU

Mount accessory rail anywhere on the carbon fiber frame. Rigid mount for attaching any standard rail accessory to a spine frame. Ideal for retractors and arm supports. Compatible with the Allen Advance Table, Allen Flex Frame and the Mizuho OSI Modular Table System\*. Length of rail is 15.2 cm (6"). Patient Weight Capacity: 227 kg (500 lbs).

### Specify Rail Type

EU #A-70501-EU  
UK #A-70501-UK  
US #A-70501



## Long Accessory Rail #A-70502-EU

Mount accessory rail anywhere on the carbon fiber frame. Double-length mount for attaching multiple accessories to a spine frame. Compatible with the Allen® Advance Table, Allen Flex Frame and the Mizuho OSI Modular Table System\*. Length of rail is 43.2 cm (17"). Patient Weight Capacity: 227 kg (500 lbs).

### Specify Rail Type

EU #A-70502-EU  
UK #A-70502-UK  
US #A-70502

\*Compatible with rails that are 3.2 cm (1.25") wide x 3.8 cm (1.5") tall with a 36.8 cm (14.5") space between.



Shown with both Clamp  
(#A-71502) & Rail (#A-71501)

# Adjustable Accessory Rail & Clamp

#A-71501-EU, #A-71502

Mount accessory rail anywhere on the carbon fiber frame. Not to be used with arm supports or other accessories. Compatible with the Allen® Advance Table, Allen Flex Frame and the Mizuho OSI Modular Table System\*. Length of rail is 15.2 cm (6"). Retractor Weight Capacity: 7 kg (15.5 lb)

## What's Included



#A-71502  
Clamp for Adjustable  
Accessory Rail  
1 Included



#A-71501-EU\*  
Adjustable Accessory Rail  
1 Included

## \*Specify Rail Type

EU	#A-71501-EU
UK	#A-71501-UK
US	#A-71501-US



Includes Left & Right Clamps

# Flex Frame Operating Table Clamp Set

#A-70510-EU

Mounts for connecting the Allen Flex Frame to most standard operating tables.

## Specify Rail Type

EU	#A-70510-EU
UK	#A-70510-UK
US	#A-70510

\*Compatible with rails that are 3.2 cm (1.25") wide x 3.8 cm (1.5") tall with a 36.8 cm (14.5") space between.



## Articulating Arm Support #A-71319

- Prone arm support
- Simple adjustability
- Patient Weight Capacity: 272 kg (600 lbs)
- Telescoping arm platform adjusts length
- Soft visco elastic clamshell pad included
- Requires clamp (sold separately)
- Pads included

### Included



#A-71319  
Articulating Arm  
Support  
1 Included

### What's Required



#A-71320  
Articulating Arm  
Support Clamp 25.4 cm  
(10") 2 Required

### What's Optional



#A-71321  
Articulating Arm Support  
Replacement Pad



## Advanced Arm Support #A-70615-EU

- Prone arm support
- Fully adjustable
- Low profile
- Integral clamp
- Patient weight capacity: 227 kg (500 lbs)
- Expandable arm platform to adjust length
- Clamshell pad included

### What's Included



#A-70615-EU\*  
Advanced Arm Support  
1 Included



#O-AMA97X1.05  
Clamshell Armboard  
2.5 cm (1") Pad  
1 Included

### \*Specify Rail Type

EU #A-70615-EU  
UK #A-70615-UK  
US #A-70615-US



## Prone Arm Support #A-70610

- Prone and lateral arm support
- Free ulnar nerve
- Low profile
- Contoured hand rest
- Patient Weight Capacity: 227 kg (500 lbs)
- Pad included

### Included



#A-70610  
Prone Arm  
Support  
1 Included

### What's Required



#A-40023 (EU)\*  
Easy Lock™ Socket  
1 Required



#A-70500-EU\*  
Flex Frame  
Armboard Rail  
1 Required

### Optional



#A-AMA74  
LPS Arm Support  
Replacement Pad

\*Specify Rail Type: EU, UK, US. See product page for other part numbers.





## Easy Armboard With Trigger #O-ABSLTE **CE**

With the trigger design, simply pull the radiolucent release mechanism for full articulation and release it to lock. A spring lever accessible from both sides securely locks the armboard to the rail. Armboard measures 66 x 14 cm (26" x 5.5"). The pad width measures 15.25 cm (6"). Patient Weight Capacity: 181 kg (400 lbs). Pad not included.

### What's Required *Choose One*



#O-AMA96X2.0S  
Clamshell Armboard  
5 cm (2") Pad  
1 Required



#O-AMA96X3.0S  
Clamshell Armboard  
7.6 cm (3") Pad  
1 Required

### What's Optional



#O-A1004X3.0S 7.6 cm (3")  
#O-A1004X2.0S 5 cm (2")  
Standard Armboard Pads




### Specify Rail Type

**EU** #O-ABSLTE  
**UK** #O-ABSLTUK  
**US** #O-ABSLT



## Multi-Task Armboard #O-ABMT **CE**

Provides arm support for lateral, chair, prone and neuro park bench positions. Lockable ball socket combined with 15.2 cm (6") of horizontal travel permits a wide range of positioning flexibility. Patient Weight Capacity: 227 kg (500 lbs).



### What's Required *Choose One Pad*



#A-40023 (EU)\*  
Easy Lock™ Socket  
1 Required



#O-AMA97X1.0S  
Clamshell Armboard  
2.5 cm (1") Pad  
1 Required

**OR**



#O-AMA12X1.0S  
Standard Armboard  
2.5 cm (1") Pad  
1 Required

\*Specify Rail Type: EU, UK, US. See product page for other part numbers.



## Allen® Advance Flat Top Pad #A-70436

A one-piece 7.6 cm (3") thick pressure management pad for the Allen Advance Flat Top. This pad has the added benefit of Allen's patented multi-layer foam pressure management design.

#A-70436      208 cm x 51 cm x 7.6 cm (82" x 20" x 3")



## Supine Top Set #A-70400

Radiolucent sections that convert an open spine frame to a solid imaging surface.  
Patient Weight Capacity: 227 kg (500 lbs).

### What's Included



#A-70400  
Supine Top Set  
4 Included

### What's Required *Choose One*



#A-70434  
Astrus Elite™ Supine  
Top Set Pads  
30.5 cm x 50.8 cm x 5 cm  
(12" x 20" x 2")  
4 Required



#A-70435  
Astrus Elite Supine  
Top Set Pads  
30.5 cm x 50.8 cm x 7.6 cm  
(12" x 20" x 3")  
4 Required



## Astrus Elite Supine Top Pad #A-70434, #A-70435

Patented pressure management pads for use with the A-70400 Supine Top Set.

#A-70434      30.5 cm x 50.8 cm x 5 cm (12" x 20" x 2")

#A-70435      30.5 cm x 50.8 cm x 7.6 cm (12" x 20" x 3")



## Bow™ Frame Skin Care Covers Kit €€

#A-70810

Skin Care Cover disposables are for use with the Allen® Bow Frame. They are comprised of moisture-absorbing foam and a low shear backing. The covers are used to help protect the Bow Frame pads from fluids and contaminants.

Each set includes foam head support, two arm supports, frame cover, rod support cover and body support covers. (Sold In Cases Of 6 Sets)



## Bow Frame Skin Care Covers #A-70810C €€

Skin Care Cover disposables are for use with the Allen Bow Frame. They are comprised of moisture-absorbing foam and a low shear backing. The covers are used to help protect the Bow Frame pads from fluids and contaminants.

Each set includes frame cover, rod support cover and body support covers. (Sold In Cases Of 6 Sets)



## Bow Frame Standard Covers Kit #A-70805 €€

Disposable covers for use with the Allen Bow Frame. These covers are used to help protect the Bow Frame pads from fluids and contaminants.

Each set includes foam head support, two arm supports, frame cover, rod support covers and body support covers. (Sold In Cases Of 6 Sets)



## Allen Foam Head Block #A-70862 €€

Allen Foam Head Blocks are used to support the head in prone procedures. They can be used with the C-Flex™ Head Positioning System, the Allen Foam Block Stand, the Allen Advance Table Head Plate or any flat surface. They are comprised of a supportive bottom foam layer and top layer of much softer foam that is designed to contact the patient's face. (Sold In Cases Of 6)



## Allen® Advance Ultra Comfort Covers €€

#A-71261, #A-71262, #A-71263

Allen Advance Ultra Comfort Covers are for use with the Allen Advance Prone Support Pads for patients in the prone position. They are comprised of the moisture-absorbing foam with a shear reducing backing to help alleviate horizontal shear pressures.

#A-71261 Small (Sold In Cases Of 6 Sets)

#A-71262 Medium (Sold In Cases Of 6 Sets)

#A-71263 Large (Sold In Cases Of 6 Sets)



## Comfort Cover Disposables #A-70260 €€

Comfort Covers are for use with wingsets for patients in the prone position. They are comprised of a moisture-absorbing foam with a low shear, Tyvek® backing. (Sold In Cases Of 5 Sets - 4 Pieces Per Set)



## Comfort Mask Disposables #A-70310 €€

Comfort Mask Disposables are for use with C-Prone and C-Flex™ Head Positioning System. It is designed to reduce maceration and shear forces on the skin while cradling the face of patients in the prone position. They are comprised of a cosmetic, moisture-absorbing foam that is soft on the face. (Sold In Cases Of 5)



## C-Flex™ System Clean Cape Disposables €€

#A-70702

Disposable cover to protect the C-Flex Head Positioning System from fluids and other contaminants. (Sold In Cases Of 10)





Gyn / Uro / Lap



# Nothing Compares



Over 30 years providing safe,  
reliable lithotomy solutions



More than  
50,000 stirrups sold



Two year manufacturer's warranty  
on all new stirrups



Robust mechanisms designed  
for easy service





		Lift Mechanism	Lithotomy Adjustment (From Sterile Field)	Lithotomy Range (From Sterile Field)	Abduction Adjustment (From Sterile Field)	Abduction Range (From Sterile Field)	Lithotomy Indicator	Patient Weight Capacity	Protective Fin Design
Fins (With Lateral Fin)	<b>Ultrafins™</b> #O-UFAS	Y	Y All Positions in Range	+84, -33	Y All Positions in Range	+25, -9	Y (on lift-assist mechanism)	363 kg (800 lbs)	Y
	<b>Yellofins™ Elite</b> #O-YFES	Y	Y All Positions in Range	+84, -33	Y All Positions in Range	+25, -9	Y (on lift-assist mechanism)	227 kg (500 lbs)	Y
	<b>Yellofins™</b> #O-YFASI	Y	Y All Positions in Range	+84, -33	Y All Positions in Range	+25, -9	Y (on lift-assist mechanism)	159 kg (350 lbs)	Y
	<b>Yellofins™</b> (without Lift-Assist™) #O-YFSI	N	Y All Positions in Range	+90, -35	Y All Positions in Range	+25, -9	N	159 kg (350 lbs)	Y
No Fins	<b>PAL Pro™</b> #A-10052	Y	Y All Positions in Range	+90, -22	Y All Positions in Range	+25, -9	Y (on handle)	159 kg (350 lbs)	N
Paediatric	<b>Junior PAL™</b> #A-10056	N	Y All Positions in Range	+90, -35	Y All Positions in Range	+25, -9	N	113 kg (250 lbs)	N
	<b>Little PAL™</b> #A-10057	N	Y All Positions in Range	+90, -35	Y All Positions in Range	+25, -9	N	73 kg (160 lbs)	N



## Ultrafins™ Stirrups

Supports up to 363 kg (800 lbs)



Patient Weight Capacity:  
363 kg (800 lbs)



Flexible Boot



Clamshell Pad Shown

# Ultrafins™ Stirrups #O-UFAS

## Easily Accommodates Patients With Larger Calves. 363 kg (800 lbs) Patient Weight Capacity.

The Ultrafins Stirrup is an upgrade of the Yellofins™ Stirrup. The reinforced rod and joint assembly and the flexible boot make the system capable of positioning a patient weighing up to 363 kg (800 lbs). Though designed for large patients, the Ultrafins Stirrup is still appropriate for use with the general patient population.

- **Patient Weight Capacity: 363 kg (800 lbs):** Support lithotomy positioning for very large patients
- **Flexible Boot:** Boot comfortably conforms to the calf shape of the patient while providing support
  - The shape and design of the back of boot helps reduce pressure under the popliteal fossa
  - Flexible boot allows these stirrups to be standardised throughout the facility
- **Fin Design:** Covers the fibula head and helps to protect superficial peroneal nerve
- **Floating Boot:** Self-adjusting boot minimises pressure on the calf when moving the stirrup
- **Lift-Assist™ Technology:** Allows easy movement of the leg when placing it in the desired position
- **Ultrafins Clamshell Pad:** Completely encapsulates the foot, ankle and calf for comfortable and secure positioning
- **Squeeze Grip Handle:** Provides easy intraoperative adjustment without compromising the sterile field. Simply release the handle to secure the leg holder in all directions.
- **Lithotomy Range:** Set the stirrup in any position between +84° to -33° lithotomy
- **Abduction Range:** Set the stirrup in any position between +25° to -9° abduction
- **Lithotomy & Length Indicators:** Help ensure precise positioning

### What's Included



#O-UFAS  
Ultrafins Stirrups  
1 Pair Included



#O-AMA65S0.6S  
Ultrafins Clamshell Pad  
1 Pair Included

### What's Required



#A-40041 (EU)\*  
Easy Lock™ Blade Clamp  
2 Required



#A-22000  
Safety Drape  
Case of 10 Pairs

### What's Optional



#A-30015  
Stirrup Cart



Easy Catcher™  
Disposable System  
Case of 10  
*See page 57*

\*Specify Rail Type: EU, UK, US. See product page for other part numbers.  
Pads included.



## Yellofins™ Elite Stirrups

Supports up to 227 kg (500 lbs)



## Yellofins™ Stirrups

Supports up to 159 kg (350 lbs)



Easily Grip & Squeeze



Raise & Abduct



Squeeze & Position



# Yellofins™ Stirrups CE

## Simultaneous Lithotomy And Abduction

The Yellofins Stirrup represents the gold standard in lithotomy positioning. Yellofins Stirrups allow for easy adjustment of abduction and lithotomy while maintaining the sterile field. The boot is extended along its lateral side (referred to as a “lateral fin”) and is padded on the interior. The purpose of this fin is to cover and protect the head of the fibula and the peroneal nerve. The Yellofins Stirrup enables safe and easy positioning while providing enhanced surgical site access.

- **Boot Design:** Extended lateral fin is designed to cover and protect the head of the fibula and the peroneal nerve
- **Floating Boot:** Self-adjusting boot minimises pressure on the calf when moving the stirrup
- **Lift-Assist™ Technology:** Allows easy movement of the leg when placing it in the desired position
- **Yellofins Reusable Pad:** Completely encapsulates the foot, ankle and calf for comfortable and secure positioning
- **Squeeze Grip Handle:** Provides easy intraoperative adjustment without compromising the sterile field. Simply release the handle to secure the leg holder in all directions
- **Lithotomy Range:** Yellofins and Yellofins Elite with Lift-Assist technology – Set the stirrup in any position between +84° to –33° lithotomy. Yellofins without Lift-Assist technology – Set the stirrup in any position between +90° to –35° lithotomy.
- **Abduction Range:** Set the stirrup in any position between +25° to –9° abduction
- **Lithotomy & Length Indicators:** Visual indicators that help ensure precise positioning

## What's Included *Choose Your Stirrups*



#O-YFES  
Yellofins Elite Stirrups  
with Lift-Assist  
1 Pair Included



#O-YFASI  
Yellofins Stirrups  
with Lift-Assist  
1 Pair Included



#O-YFSI  
Yellofins Stirrups  
without Lift-Assist  
1 Pair Included

## What's Required



#O-AMA68S0.6S  
Yellofins Reusable Pad  
1 Pair Required



#A-40041 (EU)\*  
Easy Lock™ Blade Clamp  
2 Required



#A-22000  
Safety Drape  
Case of 10 Pairs

## What's Optional



#A-30015  
Stirrup Cart



Easy Catcher™  
Disposable System  
Case of 10  
*See page 57*

\*Specify Rail Type: EU, UK, US. See product page for other part numbers.  
Pads not included.

## PAL Pro™ Stirrups

Supports up to 159 kg (350 lbs)



Lift-Assist™ Technology



Lithotomy Range: +90° to -22°



FootHugger™ Boot Pad

# PAL Pro™ Stirrups #A-10052

## The Power Of Safety And Control At Your Fingertips

The PAL Pro Stirrup is the most feature-rich Allen® stirrup utilising a standard boot. The stirrup allows for easy adjustment of abduction and lithotomy while maintaining the sterile field. The PAL Pro stirrup is differentiated from the Yellofins™ Stirrup by boot design, mechanism cover, the type of hand control and lithotomy indicator.

- **Floating Boot:** Self-adjusting standard boot minimises pressure on the calf when moving the stirrup
- **Lift-Assist™ Technology:** Allows easy movement of the leg when placing it in the desired position
- **Handle:** Provides easy intraoperative adjustment without compromising the sterile field. Simply release the handle to secure the leg holder in all directions.
- **Lithotomy Range:** Set the stirrup in any position between +90° to –22° lithotomy
- **Abduction Range:** Set the stirrup in any position between +25° to –9° abduction
- **Lithotomy & Length Indicators:** Visual indicators help ensure precise positioning
- **Patient Weight Capacity:** 159 kg (350 lbs)

## What's Included



#A-10052  
PAL Pro  
1 Pair Included

## What's Required



#A-10028-C  
FootHugger™  
Boot Pad  
1 Pair Required



#A-40041 (EU)\*  
Easy Lock™ Blade Clamp  
2 Required



#A-22000  
Safety Drape  
Case of 10 Pairs

## What's Optional



#A-30015  
Stirrup Cart



Easy Catcher™  
Disposable System  
Case of 10  
*See page 57*



#A-10319  
Velcro® Straps for Stirrups  
Set of 4

\*Specify Rail Type: EU, UK, US. See product page for other part numbers.



### Little PAL™ Stirrups

Patients ages 3-6 years old.  
Supports up to 73 kg (160 lbs)



### Junior PAL™ Stirrups

Patients ages 7-11 years old.  
Supports up to 113 kg (250 lbs)



# Junior PAL™ & Little PAL™ Paediatric Stirrups

## Effective, Natural Design Fits Paediatric Anatomy

Easy to use, comfortable and secure leg positioning for paediatric patients. Simultaneous abduction and lithotomy adjustments are easily made via a single handle while maintaining the sterile field. Boot is adjusted with a single clamp making positioning simple.

- **Paediatric Boot Design:** Special boot design to fit paediatric anatomy and cradles the paediatric calf, ankle and heel in a natural position
- **Floating Boot:** Self-adjusting standard boot minimises pressure on the calf when moving the stirrup
- **Reusable Clamshell Pad:** Completely encapsulates the foot, ankle and calf to protect, cushion and reduce pressure on these areas
- **Visual Indicators:** Help to ensure precise positioning
- **Lithotomy Range:** Set the stirrup in any position between +90° to -35° lithotomy
- **Abduction Range:** Set the stirrup in any position between +25° to -9° abduction

#A-10055 Paediatric Stirrups Package (1 Pair Junior PAL + 1 Pair Little PAL)

#A-10056 Junior PAL Stirrups (1 Pair)

#A-10057 Little PAL Stirrups (1 Pair)

## Stirrup Options *Choose one*



#A-10056  
Junior PAL Stirrups  
1 Pair



#A-10057  
Little PAL Stirrups  
1 Pair

## What's Included *Choose One*



#A-10058  
Junior PAL Clamshell Pad  
1 Pair Included



#A-10059  
Little PAL Clamshell Pad  
1 Pair Included

## What's Required *Choose One*



#A-40041 (EU)\*  
Easy Lock™ Blade Clamp  
2 Required



#O-RC2XUK (EU/UK)\*  
Rail Clamp  
2 Required

## What's Optional



#A-30015  
Stirrup Cart



Easy Catcher™  
Disposable System  
Case of 10  
*See page 57*

\*Specify Rail Type: EU, UK, US. See product page for other part numbers.  
Pads not included.





Pads Included

## Cysto-Lift Knee Crutch #O-CLK €€

Incorporates our patented stirrup technology allowing for simple and easy positioning of the leg during surgery. No need to access the siderail socket to make leg position changes. One convenient handle controls level of lithotomy and abduction/adduction while maintaining the sterile field. The unique Lift-Assist™ technology neutralises leg weight allowing even the smallest nurse to easily handle individual legs weighing up to 45 kg (100 lbs). Doughy soft pad reduces popliteal pressure. Integral siderail clamp makes attachment to the siderail of any cysto table easier. Boot type stirrups are strongly recommended for longer procedures. Patient Weight Capacity: 159 kg (350 lbs).

### What's Required *Choose One*



#A-40041 (EU)\*  
Easy Lock™ Blade Clamp  
2 Required



#O-RC2XUK (EU/UK)\*  
Rail Clamp  
2 Required

### What's Optional



#O-KCPP  
Replacement Pads  
1 Pair



Easy Catcher™  
Disposable System  
Case of 10  
*See page 57*



#A-30015  
Stirrup Cart

\*Specify Rail Type: EU, UK, US. See product page for other part numbers.



Pads Included

## Simplicity™ Knee Crutch #O-KCP €€

Provides excellent patient comfort and precise surgical positioning for short duration procedures. Soft, flexible pad reduces popliteal pressure. Easy-to-use handle provides vertical adjustment from 40.5 cm to 53 cm (16" to 21") and 360° horizontal rotation. Includes Velcro® strap for security. Patient Weight Capacity: 181 kg (400 lbs). (Sold In Pairs)

### What's Required



#A-40023 (EU)\*  
Easy Lock Socket  
2 Required

### What's Optional



#O-KCPP  
Replacement Pads  
1 Pair



Easy Catcher  
Disposable System  
Case of 10  
*See page 57*

\*Specify Rail Type: EU, UK, US. See product page for other part numbers.



## Clear View™ Drape #O-CVD €€

Clearly and safely monitor the leg during intraoperative adjustments. Packaged sterile.



## Uro Catcher™ System #O-UC4 €€

Provides excellent fluid containment for hysteroscopy or cysto procedures on any table. Flexible drape support frame provides unobstructed surgeon access during manipulation and springs back to its original state to facilitate optimal fluid drainage. Mounts easily with integral rail clamps to side rails and maintains its funnel shape. Disposables Sold Separately.

### Specify Rail Type

US #O-UC4      UK #O-UC4UK  
EU #O-UC4E



## Uro Catcher Drapes #O-UC31, #O-UC32 €€

Open mesh filter allows for fast drainage of fluids. The flexible drain hose is compatible with most suction systems for accurate fluid measurement and metering. Velcro® securement eliminates the need to use tape. Durable drape has flexible hose. Length of tubing is 162.5 cm (64") extended, 50.8 cm (20") compressed. Tubing diameter is 2.2 cm (.875").



Open Mesh

#O-UC31 Sterile Drape (Sold In Case Of 10)  
#O-UC32 Non-Sterile Drape (Sold In Case Of 10)



## Shoulder Supports #A-63500 €€

Used for procedures requiring the Trendelenburg position. Includes thick foam padding with our flexible cover. Patient Weight Capacity: 227 kg (500 lbs).

### What's Required



A-40041 (EU)\*  
Easy Lock™ Blade Clamp  
2 Required

### What's Optional



Replacement Pads  
(Left & Right)  
#A-63500PAD

\*Specify Rail Type: EU, UK, US. See product page for other part numbers.



Easy On, Easy Off



Flexible Band For Increased Site Access



Fully Disposable

## All-In-One System



# Easy Catcher™ Disposable System CE

#O-EC51, #O-EC52

## Easy To Use & Fully Disposable Single Use System

The Allen® Easy Catcher is designed to catch and drain fluid during a surgical procedure. It attaches to the side rails of a standard operating table via two integral rail clamps. The Easy Catcher is a single-piece system that contains a fluid drain drape with an integral flexible support band. The band supports the drape vertically for optimal drainage. The support band also flexes to accommodate the doctor's mid-section during procedures.

The all-in-one system is fully disposable making it more convenient and quicker to set-up and dispose of. In addition, the Easy Catcher has a removable tube adaptor that enables it to connect to a variety of fluid waste management systems.

- All-in-one fluid containment system
- Saves clean-up time
- Fully disposable
- Flexible integrated band
- Easy set-up and removal
- Integral clamps for easy set-up
- Single-piece system includes: buttocks flap, mesh trap, collapsible hose and removable tube adaptor
- Maximise infection control with disposable system
- Attaches to the rails of a standard operating table
- Eliminates the need to clean system band for repeated use
- No more lost or damaged bands
- Removable tube adaptor connects to a variety of fluid waste management systems

Ideal for use with a variety of urology and gynecology procedures including Cystoscopy, Ureteroscopy, Urologic Oncology, Pediatric Urology, Calculi (urinary tract stones) and Neurourology.

## What's Included *Choose One*



#O-EC51-EU (EU)\*  
Sterile Easy Catcher  
Disposable System  
Case of 10



#O-EC52-EU (EU)\*  
Non-Sterile Easy Catcher  
Disposable System  
Case of 10

## \*Specify Rail Type

	Sterile	Non-Sterile
<b>EU</b>	#O-EC51-EU	#O-EC52-EU
<b>UK</b>	#O-EC51-UK	#O-EC52-UK
<b>US</b>	#O-EC51	#O-EC52





Integral Straps



Safety Vacuum Valve  
(Not Sold Separately)



Waterproof Disposable Cover



# Allen® Hug-U-Vac™ Steep Trend Positioners CE

## Ideal For Use With Robotic Procedures

The Allen Hug-U-Vac Steep Trend Positioners safely and comfortably hold patients in the steep Trendelenburg which is common in robotic procedures. The Allen Hug-U-Vac Positioner's unique pliable design enables it to conform to the patient's entire supine anatomy to create a larger surface area to cradle the body during steep Trendelenburg. The Hug-U-Vac Positioners have integral quick-release straps that enable it to attach tightly to the rails of standard operating tables. The Large Hug-U-Vac Steep Trend Positioner has been designed with three chambers to accommodate larger patients.

Ideal for use with Gynaecology Procedures, Urology Procedures, Robotic Surgical Procedures, Colorectal Procedures, Cholecystectomies.

- No continuous suction required
- Patient weight capacity: 227 kg (500 lbs)
- Enables secure positioning in robotic procedures
- Designed for easy forearm access to IV lines
- Integral straps secure to standard operating table rails
- Valve location designed for quick access to anesthesia
- Lightweight for easy transport, set-up, and storage
- Durable vacuum valve with on/off switch and lock
- Disposable slipcovers are waterproof for easy clean-up

**#A-60010** Steep Trend Positioners Package  
Includes Allen Hug-U-Vac Steep Trend Positioner and Allen Hug-U-Vac Large Steep Trend Positioner

**#A-60001** Allen Hug-U-Vac Steep Trend Positioner (227 kg / 500 lbs Capacity)  
Device Dimensions: 116.8 cm x 106.7 cm (46" x 42") Device Weight: 3.6 kg (8 lbs)

**#A-60005** Allen Hug-U-Vac Large Steep Trend Positioner (227 kg / 500 lbs Capacity)  
Device Dimensions: 129.5 cm x 137.1 cm (51" x 54") Device Weight: 4.5 kg (10 lbs)

## What's Included *Choose A Size*



**#A-60001**  
Allen Hug-U-Vac  
Steep Trend Positioner



**#A-60005**  
Allen Hug-U-Vac Large  
Steep Trend Positioner

## What's Required *Steep Trend*



**#A-63600**  
Allen Steep Trend  
Secondary Supports  
1 Pair Required

+



**#A-40041 (EU)\***  
Easy Lock™ Blade Clamp  
2 Required



**#A-60101**  
Steep Trend Positioner  
Disposable Covers  
Case of 12

## What's Required *Large Steep Trend*



**#O-RSX2**  
Allen Large  
Security Strap  
1 Required



**#A-60105**  
Large Steep Trend Positioner  
Disposable Covers  
Case of 12

## What's Optional



**#O-YFES**  
Yellofins™ Elite with Lift-Assist™  
1 Pair



**#C-008001**  
Replacement C-Clip  
Hug-U-Vac



**#O-PRSH**  
Patient Security Strap Hooks  
6 Required for #A-60001, 8 Required for #A-60005



# Orthopaedics

# Allen® Lift-Assist™ Beach Chair #A-91500 €€



## Lightweight With Lift-Assist™ Technology To Make Positioning Easy

The Lift-Assist Beach Chair is designed for use with orthopaedic procedures using the Fowler's or beach chair position. The chair offers unobstructed access and the Lift-Assist mechanism makes repositioning the patient quick and easy. The Lateral Slide feature enables the surgeon to move the patient closer to the edge of the operating table for increased surgical site access. The Lift-Assist Beach Chair weighs under 13.6 kg (30 lbs) without the back support panels installed.

- Attaches to the rails of standard operating tables
- 227 kg (500 lbs) patient weight capacity
- Lateral adjustment - improved surgical site access
- Lightweight - for single person set-up and removal
- Rail width 50.8 cm - 66 cm (20" - 26") - fits a wider range of operating tables
- Spring Lock Quick Connect - easy installation and removal of head positioners
- Rail clamp indicators - display when the Beach Chair is properly installed on the operating table rails
- Small rail clamp footprint - frees up accessory rail space needed for different procedures
- No gas spring cables to repair or break
- Removable back panels increases access to surgical site
- Low-cut backboard - excellent maneuverability during total shoulder procedures
- Optional head positioner lock helps support patient's neck





Lift-Assist Pistons Make Positioning Patients Easy



Adjust The Patient Using Lift-Assist™ Handle



Chair Lies Flat For Clear Anesthesia Access

## Unobstructed Posterior & Lateral Access



## What's Included



#A-91501  
Allen® Lift-Assist™  
Beach Chair and Pad Set  
1 Included



#A-91502  
Intubation Plate  
and Pad  
1 Included



#A-91503EU (EU)\*  
Lift-Assist Beach  
Chair Clamp  
2 Included

## What's Required

### Counter Traction



#A-90015  
Counter Traction Strap  
1 Required

+



#A-40023 (EU)\*\*  
Easy Lock™ Socket  
1 Required

### Headrest & Disposables



#A-90026  
Universal™ Head  
Positioner  
1 Required

+



# A-90023  
Universal Head  
Restraint Disposables  
Case of 10

### Arm Support *Choose One Arm Support*



#A-90002  
LPS Arm Support  
1 Required

OR



#O-ABMT  
Multi-Task Armboard  
1 Required

+



#O-AMA97X1.05  
Clamshell Armboard  
2.5 cm (1") Pad  
1 Required

+



#A-40023 (EU)\*\*  
Easy Lock Socket  
1 Required

## What's Optional



#A-90100E (EU)†  
Beach Chair Cart



#A-92000  
Allen Arm Positioner



#O-LPA  
Allen Easy Irrigation Tower



#A-90040  
Reusable Pad Set

## \*Specify Rail Type

EU #A-91503EU

US #A-91503

\*\*Specify Rail Type: EU, UK, US. See product page for other part numbers.

†Specify Rail Type: EU, US. See product page for other part numbers.





Universal™ Head Positioner



Adjusts Intraoperatively



Easy To Use Disposable



Single Knob  
Releases All Joints

# Universal™ Head Positioner #A-90026 CE

## Easy To Use And Protective Head Positioning For The Beach Chair Position On The Operating Theatre Table

The Allen® Universal Head Positioner supports the patient's head and neck providing adjustability and ease of positioning. Designed for simple set-up and use. It supports the patient's unique anatomy securely and comfortably and offers more versatility than competitive head supports.\* In addition, the disposable straps which support the head and neck are comprised of wide soft protective padding. Straps are designed to distribute force to help reduce the risk of pressure injuries.

Ideal for use with most upper extremity procedures in the beach chair position.

- Multiple straps for secure control of patient's head and neck
- Single knob releases all joints
- Easy intraoperative adjustments
- Adjustable to help accommodate the patient's head
- Disposable wide soft straps minimise pressure on skin
- Lightweight and portable
- Simple set-up, easy to use
- Secure head and neck with ability to lock the desired position
- Compatible with all Allen Beach Chairs
- Device Weight (without disposable): 1.5 kg (3.4 lbs)
- Patient Weight Capacity: 227 kg (500 lbs)

### What's Included



#A-90026  
Universal Head Positioner  
1 Included

### What's Required



#A-90023  
Universal Head  
Restraint Disposable  
Case of 10

### What's Optional



#A-91500  
Lift-Assist™ Beach Chair



#A-90100E (EU)\*\*  
Beach Chair Cart



#A-90025  
Replacement Straps

\*Based on a feature comparison to Linvatec®, McConnell™ and Mizuho OSI beach chair head rests. (January 22, 2010)

\*\*Specify Rail Type: EU, US. See product page for other part numbers.



Unobstructed Access



Multiple Positions



External Rotation & Abduction

Simple &  
Lightweight



# Allen® Arm Positioner #A-92000 CE

## Spend Your Time On The Procedure, Not The Positioning

The Allen Arm Positioner delivers easy arm positioning for shoulder surgery in the Beach Chair position, as well as elbow and clavicle procedures. By indexing at the elbow, the device is able to gain complete positioning control of the shoulder joint. The revolutionary patent pending design allows the entire device to be steam sterilised and provides an unobstructed access to the surgical site. The device also has the capability of achieving a semi-locked state allowing the surgeon to simply move the arm where he wants it without having to adjust the tension.

Ideal for use with all open and arthroscopic upper limb procedures.

- No foot pedal, no hoses, no hydraulics, no power cords
- The only fully autoclavable arm positioner on the market
- Single knob releases all joints
- Lightweight device weighs only 2.7 kg (6 lbs). No cart required.
- Easy, fluid positioning for enhanced site access
- Connects over the drape, in the sterile field
- Compact and portable for easy storage
- Index at the elbow for complete control
- Quick and easy set-up
- Unobstructed access to the surgical site (no bars or foot pedal obstructions)
- Patient Weight Capacity: 227 kg (500 lbs)

## What's Included



#A-92000  
Allen Arm Positioner  
1 Included



#A-92001  
Allen Arm Positioner  
Sterile Disposable  
Case of 10



#A-92002  
Autoclavable Clamp  
1 Required

## What's Optional



#A-91500  
Lift-Assist™ Beach Chair



#A-90100E (EU)\*  
Beach Chair Cart



#A-92003  
Replacement Arm Support

\*Specify Rail Type: EU, US. See product page for other part numbers.





The Wrap-Around Pad Provides Protection & Stability

## LPS Arm Support #A-90002

Provides comfortable and convenient placement of non-operative arm. Easy access to patient IV and enhanced stabilization of shoulder. Patient Weight Capacity: 227 kg (500 lbs).

### What's Included



#A-90002  
LPS Arm Support  
1 Included




#A-AMA74  
LPS Arm Support Pad  
1 Included

### What's Required



#A-40023 (EU)\*  
Easy Lock™ Socket  
1 Required

\*Specify Rail Type: EU, UK, US. See product page for other part numbers.



## Counter-Traction Brace #A-90001

Applied to operative side, the Counter-Traction Brace stabilises patient for shoulder manipulation. For use with the Lift-Assist™ Beach Chair.

### What's Required



#A-40023 (EU)\*  
Easy Lock™ Socket  
1 Required

\*Specify Rail Type: EU, UK, US. See product page for other part numbers.



## Counter-Traction Strap #A-90015

The Counter-Traction Strap supports the patient while they are in Fowler's position. For use with the Lift-Assist Beach Chair.

### What's Required



#A-40023 (EU)\*  
Easy Lock™ Socket  
1 Required

\*Specify Rail Type: EU, UK, US. See product page for other part numbers.





## FlexiForm™ Head Rest Pad Disposables €€

#A-90019

This disposable pad creates a more comfortable and protective environment for your patient. Required for use with the FlexiForm Head Rest. (Sold In Cases Of 10)



## Universal Head Restraint Disposables €€

#A-90023

The Universal Head Restraint Disposable is designed for use with the Allen® Universal Head Positioner and Allen beach chairs during shoulder procedures, specifically in the Fowler's position. The disposable supports the patient's head and jaw helping align the neck in a natural position. (Sold In Cases Of 10)



## Allen Arm Positioner Sterile Disposables €€

#A-92001

The Allen Arm Positioner Sterile Disposable is used exclusively with the Allen Arm Positioner. (Sold In Cases Of 10)



## Beach Chair Reusable Pad Set #A-90020 **CE**

Pad Set For Use With The Allen® Beach Chairs #A-91000 & #A-90000

Combines high-density foam with a durable 4-way stretch cover for patient comfort.



## Lift-Assist™ Beach Chair Reusable Pad Set **CE**

#A-90040

Pad Set For Use With The Lift-Assist Beach Chair #A-91501

This pad set combines durable high-density foam with a 4-way stretch cover for patient comfort.



## Allen® Beach Chair Cart #A-90100E

The perfect companion, the Allen Beach Chair Cart conveniently stores the Allen Beach Chair and all of its accessories. The Beach Chair rests securely on sturdy rails at user height to reduce potential back strain. Optional accessory hooks allow quick and easy storage for larger accessories. Deep bin affords plenty of extra storing space. Weighted base makes cart tip-resistant and reduces potential vibration during transport. Polymer base is dent-resistant. Heavy-duty castors roll smoothly. Two castors lock for safe and easy loading, unloading and storage.

### What's Optional



**Specify Rail Type**  
#A-30011 (US)  
#A-30011E (EU)

The Accessory Hook allows for faster product storage on our Accessory Cart. Coated prongs help protect stored product from developing scratches. Easy Lock™ design makes attachment and detachment easy.

### Specify Rail Type

**EU** #A-90100E  
**US** #A-90100



One Sterile Arm Trap Disposable Included

## Weightless Shoulder Suspension System

#R-644-36

The Weightless Shoulder Suspension System allows appropriate traction with a simple turn of the tension adjustment knob. Boom arm adjusts from 0° to 90°. The boom head swivels so that its pulley always aligns properly with the cord. The system folds down for easy storage. Patient Weight Capacity: 227 kg (500 lbs).

### What's Required



#A-40018 (EU/US)  
Simple Clamp  
1 Required



#A-21200  
Sterile Arm Trap Disposables  
Case of 6

### What's Optional



#A-30010E (EU)\*  
Accessory Cart



#O-UPBL3S  
Lateral Brace  
3 Piece Set



#A-60003, #A-60002  
Allen® Hug-U-Vac™  
Lateral Positioner  
Standard or Large



#O-LPA  
Allen Easy  
Irrigation Tower

\*Specify Rail Type: EU, UK, US. See product page for other part numbers.



Weights Not Included

## Arm Traction Device #A-20500

Accommodates intraoperative traction for shoulder procedures. A mechanical safety stop prevents patient injury in the event the support arm is inadvertently released. Save time and cost by using it as an arm support for both prepping and traction. Patient Weight Capacity: 227 kg (500 lbs).

### What's Required



#A-40018 (EU/US)  
Simple Clamp  
1 Required



#A-21200  
Sterile Arm Trap Disposables  
Case of 6

### What's Optional



#A-30010E (EU)\*  
Accessory Cart



#O-UPBL3S  
Lateral Brace  
3 Piece Set



#A-60003, #A-60002  
Allen® Hug-U-Vac  
Lateral Positioner  
Standard or Large



#O-LPA  
Allen Easy  
Irrigation Tower

\*Specify Rail Type: EU, UK, US. See product page for international part numbers.



## Lateral Braces #O-UPBL3S CE

Extended posts adjust for use on a variety of patients. Stabilises patients on standard operating tables. For total hip and other procedures requiring optimum lateral stability. Patient Weight Capacity: 181 kg (400 lbs).

- Braces are fully adjustable
- Soft pads provide soft cushioning of bony prominences
- Swivel heads conform to anatomical contours of patient and can be securely locked for precise positioning

### What's Included



#O-UPBLR  
Single Rectangular Support  
2 Included



#O-UPBLC  
Single Circular Support  
1 Included

### What's Required



#A-40041 (EU)\*  
Easy Lock™ Blade Clamp  
3 Required

### What's Optional



#A-30010E (EU)\*  
Accessory Cart


\*Specify Rail Type: EU, UK, US. See product page for other part numbers.



## Sterile Arm Trap Disposables #A-21200 CE



Made of soft plastic mesh, the Allen® Sterile Arm Trap comfortably holds the arm. Arm trap is affixed to patient with CoFlex® NL Self-Adherent Wrap (roll included). Rope loop at the top of the trap allows for easy attachment to many types of traction and suspension devices. (Sold In Cases Of 6)



## Total Knee Stabilizer #O-TKS €€

A convenient, stable device to support the flexed leg during total knee procedures. The Total Knee Stabilizer eliminates awkward sandbags and simply mounts to the table rail. The 25.4 cm long by 5 cm diameter (10" x 2") foot support is covered with a soft, replaceable closed-cell foam pad. The 33 cm (13") long mounting bar permits vertical height adjustment while the flat 0.6 cm x 2.5 cm (.25" x 1") cross section prevents unwanted rotation. Patient Weight Capacity: 227 kg (500 lbs).

### What's Required



A-40041 (EU)\*  
Easy Lock™ Blade Clamp  
1 Required



#O-TKSP  
Replacement  
Disposable Pad  
1 Required

\*Specify Rail Type: EU, UK, US. See product page for other part numbers.



## The Prepper Device #O-LPS €€

Padded cradle comfortably supports patient's leg during prep procedure. Shaft can be rotated to move offset in various positions for convenient access to the leg. Post is 77.5 cm (30.5") long. Patient Weight Capacity: 227 kg (500 lbs).

### What's Required



A-40023 (EU)\*  
Easy Lock Socket  
1 Required



#O-LPSP  
Replacement  
Disposable Pad  
1 Required

\*Specify Rail Type: EU, UK, US. See product page for other part numbers.



## Arthroscopic Stress Post #O-ASP €€

A levering fulcrum for improved access to the medial compartment of the knee. The 7.6 cm x 20 cm (3" x 8") post surface is covered with a 2.5 cm (1") thick, soft pressure management pad for maximum patient safety and comfort.

### What's Required



A-40023 (EU)\*  
Easy Lock Socket  
1 Required

\*Specify Rail Type: EU, UK, US. See product page for other part numbers.





Integral Straps



Safety Vacuum Valve  
*(Not Sold Separately)*



Waterproof Disposable Slipcover



# Allen® Hug-U-Vac™ Lateral Positioners

#A-60003, #A-60002

## Safe, Comfortable And Secure Lateral Patient Positioning

The Allen Hug-U-Vac Lateral Positioner safely and comfortably holds patients in lateral and supine positions. The Allen Hug-U-Vac Lateral Positioner's integral quick-release straps enable it to attach securely to the rails of standard operating tables.

The Allen Hug-U-Vac Positioner has a secure valve that eliminates the need for continuous suction.

Ideal for use with Urology Procedures, Orthopaedic Procedures, Cardiothoracic Procedures, Neurological Procedures, Thoracotomy Procedures, Plastic Surgery and General Surgery. Can be used for supine positioning in a variety of procedures.

- Enables secure lateral and supine positioning in a variety of procedures
- Integrated axillary pillow
- Lightweight for easy transport, set-up and storage
- Valve location designed for quick access to anesthesia
- No continuous suction required
- Durable vacuum valve with on/off switch and lock
- Disposable slipcovers are waterproof for easy clean-up

### #A-60003 Standard

Patient Weight Capacity: 227 kg (500 lbs)  
Device Dimensions: 91.4 cm x 81.3 cm (36" x 32")

### #A-60002 Large

Patient Weight Capacity: 363 kg (800 lbs)  
Device Dimensions: 121.9 cm x 88.9 cm (48" x 35")

## What's Included *Choose One*



#A-60003  
Standard Allen Hug-U-Vac  
Lateral Positioner  
1 Included



#A-60002  
Large Allen Hug-U-Vac  
Lateral Positioner  
1 Included

## What's Required *Choose One*



#A-60103  
Standard Allen Hug-U-Vac  
Lateral Disposable Covers  
Case of 12



#A-60102  
Large Allen Hug-U-Vac  
Lateral Disposable Covers  
Case of 12

## What's Optional



#O-RSX2  
Allen Large  
Security Strap



#C-008001  
Replacement  
C-Clip Hug-U-Vac



#O-PRSH  
Patient Security Strap Hooks  
4 Required



Active Heel™ Technology  
Shown Without Boot Shell



One Boot Accommodates Many  
Foot Sizes & Left Or Right Foot



Easy To Use Buckles



# Allen® Traction Boot ce

## Active Heel™ Technology Provides Superb Security To Prevent Foot Slip

Positioning the leg and foot properly during trauma and hip fracture cases is critical to a less stressful surgery and successful outcome. Many hospitals are still using the original boots that may be decades old and require copious amount of tape to help secure the foot. To mitigate these challenges, Allen has introduced the Allen Traction Boot with Active Heel Technology to help prevent foot slip while providing superb security.

With its modular design, you can upgrade your existing trauma tables to the latest technology that has benefits for the patient, surgeon and operating theatre staff.

Active Heel technology utilises two cushioning pads on the anterior and posterior portions of the leg to provide a secure grip on the entire ankle joint versus the competition which relies on a single point of fixation.

- Active Heel Technology
- Fits size range 37 (EU) 4 (UK) female to 48.5 (EU) 13.5 (UK) male
- Universal: One boot fits left or right foot
- Easily retrofits your existing Mizuho OSI, Steris®, Maquet® and Schaerer® traction tables
- Eliminate the need for excessive taping
- Patient Weight Capacity: 227 kg (500 lbs)

## Choose Your Traction System

### Steris OrthoVision® System



#A-93005  
Traction Boot



#A-93006  
Clamp for Steris

### Mizuho OSI Ovation® & Modular Table Systems



#A-93005  
Traction Boot



#A-93007  
Clamp for  
Mizuho OSI

### Maquet & Schaerer Systems



#A-93000  
Traction Boot



#A-93002  
Clamp for Maquet  
& Schaerer

## What's Required



#A-93001  
Traction Boot  
Disposable  
Case of 6





## Deluxe Arthroscopic Leg Holder #A-10015

Smooth, one directional locking mechanism enables the caregiver to set rigid fixation with one hand operation. The hinged upper brace accommodates patients while the structurally enhanced design enables the staff to apply pressure both medially and laterally. The ratchet-style securement strap easily adjusts for precise amount of compression. Holds legs up to 89 cm (35") in circumference. Patient Weight Capacity: 227 kg (500 lbs).

### What's Included



#A-10015  
Deluxe Arthroscopic  
Leg Holder  
1 Included



#R-S4133-V  
Leg Holder Disposable Pad  
3 Pads Included

### What's Required



#A-40023 (EU)\*  
Easy Lock™ Socket  
1 Required

### What's Optional



#O-AWLH  
Arthroscopic  
Well-Leg Holder



#H-009-00-120  
Foam Well-Leg Holder



#A-30010E (EU)\*  
Accessory Cart

\*Specify Rail Type: EU, UK, US. See product page for other part numbers.



## Leg Holder Disposable Pads #R-S4133-V

The Leg Holder Disposable Pad is compatible with all Allen® leg holder systems. These pads utilise two special foam materials which are laminated together. The outer pad is a dense, slightly compressible material which allows for high clamping pressure to stabilise the leg. The inner pad is a soft, fully compressible material for gentle, non-abrasive contact with the skin. The leg pad secures with simple Velcro® fasteners. Length is 95.9 cm (37.75") and width is 8.6 cm (3.375"). (Sold In Cases Of 12)





## Arthroscopic Well-Leg Holder #O-AWLH

Easily and safely position the non-affected leg during arthroscopic knee procedures. Reduce the discomfort and circulatory impairment that can result from the well-leg hanging over the edge of the table. Smooth adjustment and locks securely for precise positioning. Patient Weight Capacity: 227 kg (500 lbs).

### What's Included



#O-AWLH  
Arthroscopic  
Well-Leg Holder  
1 Included



#O-S1007A0.6S  
Boot Pad  
1 Included

### What's Required



#A-40023 (EU)\*  
Easy Lock™ Socket  
1 Required

### What's Optional



#A-30010E (EU)\*  
Accessory Cart

\*Specify Rail Type: EU, UK, US. See product page for other part numbers.



## Radiolucent & Durable



Rectangular



Hourglass



Minor Procedure

# Arm & Hand Tables Comparison

Allen® Medical Systems offers an arm and hand table for every need. All of the tables are radiolucent with outstanding durability, backed by a two-year warranty.

- The carbon fibre, Carbon Lights™ tables utilise a frameless design to avoid perimeter interference during radiographic imaging

		#A-30450-C Carbon Lights
Rectangular	Weight	2.6 kg (5.8 lbs)
	Dimensions	38 cm x 77 cm (15" x 30.375")
	Material	Carbon Fibre
	Height Adjustable	Yes
	Legs	Optional
	Post Type	Round
	Clamp Type	Universal Clamp
	Pad	Sold Separately

		#A-30650-C Carbon Lights
Hourglass	Weight	4.2 kg (9.2 lbs)
	Dimensions	41 cm x 86 cm (16" x 34")
	Material	Carbon Fibre
	Height Adjustable	Yes
	Legs	Integral
	Post Type	Round
	Clamp Type	Integral (EU and US)
	Pad	Sold Separately

		#A-30410-C Carbon Lights
Minor Procedure	Weight	1.5 kg (3.4 lbs)
	Dimensions	38 cm x 61 cm (15" x 24")
	Material	Carbon Fibre
	Height Adjustable	Yes
	Legs	Legless
	Post Type	Round
	Clamp Type	Universal Clamp
	Pad	Sold Separately



Table With Leg

# Carbon Lights™ Rectangular Table

#A-30450-C

The perfect answer for arm and hand procedures. Use without the removable leg when access is paramount. Simply add the optional leg for those procedures requiring additional stability. Attaches via two round 1.6 cm (.625") posts. Call Customer Service to inquire about clamps to fit alternate rail sizes. Note: Pad sold separately.

- Weight: Approx. 2.6 kg (5.8 lbs)
- Table Dimensions: 38 cm x 77 cm
- (15" x 30.375")
- Patient Weight Capacity: 181 kg (400 lbs)

## What's Required *Choose One Clamp & One Pad*

	OR			OR	
#A-40023 (EU)* Easy Lock Socket 2 Required		#A-40018 (EU/US) Simple Clamp 1 Required	#A-30300-Pad-1 2.5 cm (1") Pad 1 Required		#A-30300-Pad 5 cm (2") Pad 1 Required

## What's Optional

	
#A-20750 Schlein Hand Positioner <i>Includes Rail Attachment</i>	#A-30450-LEG Optional Leg

\*Specify Rail Type: EU, UK, US.  
See product page for other part numbers.



Table With Leg





# Carbon Lights™ Minor Procedures Table

#A-30410-C

This small and ultra lightweight table works well for procedures such as carpal tunnel releases and AV fistulas. Has two round 1.6 cm (.625") posts.  
Note: Pad sold separately.

- Weight: Approx. 1.5 kg (3.4 lbs)
- Table Dimensions: 61 cm x 38 cm (24" x 15")
- Patient Weight Capacity: 181 kg (400 lbs)
- Carbon Fibre

## What's Required *Choose One Clamp & One Pad*

	OR			OR	
#A-40023 (EU)* Easy Lock Socket 2 Required		#A-40018 (EU/US) Simple Clamp 1 Required	#A-30410-Pad1 2.5 cm (1") Pad 1 Required		#A-30410-Pad 5 cm (2") Pad 1 Required

## What's Optional

	
#A-20750 Schlein Hand Positioner <i>Includes Rail Attachment</i>	#A-30450-LEG Optional Leg

\*Specify Rail Type: EU, UK, US.  
See product page for other part numbers.



## Carbon Lights™ Hourglass Table #A-30650-C €€

This full-sized table provides stability and is light enough for easy transport. The adjustable support leg provides additional stability and can be tucked under for easy access. The integral mounting clamps allow vertical adjustment to align with pads on X-ray tops. Note: Pad sold separately.

- Carbon Fibre
- Fits EU & US Rails Only
- Weight: Approx. 4.2 kg (9.2 lbs)
- Table Dimensions: 86 cm x 41 cm (66 cm at end) 34" x 16" (26" at end)
- Patient Weight Capacity: 181 kg (400 lbs)

### What's Included



#A-30650-C  
Carbon Lights  
Hourglass Table  
1 Included



#A-30650ER  
Elbow Rest  
1 Included



#A-30502-1-B\*  
Pad Set for A-30650-C  
2.5 cm (1")  
1 Required



#A-30502-B\*  
Pad Set for A-30650-C  
5 cm (2")  
1 Required

### What's Required *Choose One*



Integral Clamps

### What's Optional



#A-30650-Clamp  
Replacement Clamp




#A-20750  
Schlein Hand Positioner  
*Includes Rail Attachment*



#A-30530-1  
Elbow Rest Pads

\*Pad sets include table pad and two elbow rest pads



## Schlein Hand Positioner #A-20750 €€

Supports multiple hand positions. Innovative cleat system can be used with or without weights. Autoclavable.

### What's Included



#A-20750  
Schlein Hand Positioner  
1 Included



Rail Attachment  
1 Included  
Not sold separately.

### What's Required



Sterile Mesh Finger  
Trap Disposables  
*See page 84*

### What's Optional



#A-30410-C  
Carbon Lights™ Minor  
Procedures Table




#A-30450-C  
Carbon Lights  
Rectangular Table



#A-30650-C  
Carbon Lights  
Hourglass Table





## Sterile Mesh Finger Trap Disposables

Sterile single or double traps. Disposable, for single use only. Five color-coded sizes: Pediatric, Small, Medium, Large, Extra Large.

### Sterile Starter Kit

Comes with eight finger traps in four sizes (Extra Large, Large, Medium, Small - two each)

- #R-30522-999 Double Starter Kit
- #R-30522-888 Single Starter Kit



Pediatric Trap

### Cases - 8 Per Case

#### Singles

- #A-30522-8 Single, Extra Large
- #A-30522-2 Single, Large
- #A-30522-4 Single, Medium
- #A-30522-5 Single, Small
- #A-30522-9 Single, Pediatric Trap

#### Doubles

- #A-30522-7 Double, Extra Large
- #A-30522-1 Double, Large
- #A-30522-3 Double, Medium
- #A-30522-6 Double, Small



## Finger Trap Sizing Kit #R-50522-1

Facilitates size selection prior to opening sterile finger traps.



## The Equalizer #R-734-05

Used when three or more digits are placed in traction, The Equalizer distributes the weight of the arm equally between each digit. This stainless steel chain and pulley system is fully autoclavable and comes with an attaching clip. The Equalizer can also be used with the Wrist Fracture System and Weightless Shoulder Suspension System. Patient Weight Capacity: 227 kg (500 lbs).

### What's Required



Sterile Mesh Finger  
Trap Disposables  
*See page 84*


### What's Optional



#O-LPA  
Allen® Easy  
Irrigation Tower



#R-734-10  
Wrist Arthroscopy  
System



## Wrist Arthroscopy System #R-734-10

The table mounted Wrist Arthroscopy System is a stable platform and ideal for distraction of the hand, wrist, forearm and elbow. Support extensions mounted off of the tower provide wrist flexion and extension, radial and ulnar deviation and allow for dorsal and volar approaches. Autoclavable.

- Allen self-equalizing Finger Traps distribute tension evenly
- Wrist stabiliser provides wrist flexion and extension
- Counter traction device eliminates need for hanging weights

### What's Included



#R-734-10  
Wrist Arthroscopy System  
1 Included

### What's Required



#A-40018 (EU/US)  
Simple Clamp  
1 Required



Sterile Mesh Finger  
Trap Disposables  
*See page 84*

### What's Optional




#O-LPA  
Allen Easy Irrigation Tower



# General

# Easy Irrigation Tower #O-LPA

Lift-Assist™ Technology Neutralises Irrigation Bag Weight



Lift-Assist  
Technology  
Makes Vertical  
Adjustment  
Easy


Four independently adjustable hooks each safely support up to 10,000cc of fluid. Comfortable, quick-release knobs permit vertical adjustment of hangers from 167.5 cm to 259 cm (5.5' to 8.5'). This nurse-friendly design makes it easy for personnel to operate.

- **Stable:** Our tower doesn't require sandbags or special weights to stay up
- **Nearly Effortless:** Lift-Assist technology makes vertical adjustment easy
- **Simple:** Spring design  
NO complicated hydraulics to fail  
NO battery to remember to charge
- **High Capacity:** Holds up to 40,000cc (10,000cc max capacity per hook)
- **User-Friendly:** Easy-to-reach hangers range from 167.5 cm to 259 cm (5.5' to 8.5')
- **Convenient:** Four independently adjustable hooks
- **Ergonomic:** Comfortable, quick-release knobs



## Lift-Assist Technology

Unique spring-loaded elliptical knob unlocks when squeezed and locks securely in place when released. The Lift-Assist articulation is done mechanically; there are no hydraulics or batteries to fail.



## Accuracy

The hanger height is displayed in centimeters and inches for your convenience.





No Lifting Required



Easy Transfer To & From  
Fowler's Position



Single-Use Disposables



**Long, Wide Board**  
Weighs only 3.2 kg (7 lbs)



**Long, Narrow Board**  
Weighs only 2.8 kg (6.3 lbs)



**Short, Narrow Board**  
Weighs only 2.3 kg (5 lbs)




# Patient Transfer Board #A-83005, #A-83000, #A-83001

## Roller-Free Roller Board – Better For Patients, Easier On Nurses And Inexpensive

- **Comfortable:** Soft core with no hard metal rollers
- **Lightweight:** No lifting required, even with your heaviest patients
- **No Special Training Requirements:** Uses same or similar transfer technique
- **Fowler's Position Transfer:** Long board allows for transfer in seated position
- **Foldable:** Long board folds for easy storage and set-up
- **Straps:** Carry this lightweight device on your shoulder and keep your hands free
- **Resilient and Sturdy:** Durable material protects against end cap breakage
- **Patient Weight Capacity:** 227 kg (500 lbs)

- #A-83005 Long, Narrow Patient Transfer Board  
180 cm x 42 cm (71.5" x 16.5")
- #A-83000 Long, Wide Patient Transfer Board  
180 cm x 52 cm (71.5" x 20.5")
- #A-83001 Short, Narrow Patient Transfer Board  
100 cm x 42 cm (40" x 16.5")



## What's Optional



#A-83017  
Narrow Board  
Replacement Strap



#A-83018  
Wide Board  
Replacement Strap



#A-83002\*  
Disposable Covers  
58.4 cm wide x 96.5 cm long  
(23" wide x 38" long)  
Case of 50



#A-83015  
Narrow Board  
Replacement Cap



#A-83016  
Wide Board  
Replacement Cap

\*Fits all Allen® transfer boards

# Allen® Clamps Comparison

Allen sells a variety of clamps for use with operating table accessories.

This chart provides a snapshot of Allen clamps categorised by feature, function and country rail type for selection purposes.

		Country Rails:				Use With:		Attach Clamp:			CE
		US = .375" x 1.125"	EU = 10 x 25 mm	UK = .25" x 1.25" (6.35 x 31.75 mm)	Swiss = 10 x 30 mm	Round Post	Rectangular Blade	Anywhere On Table Rail	Anywhere Between Rail Standoffs	At Table Rail Ends, and Table Rail Notches	
ROTATING CLAMPS	 <b>Easy Lock™ Socket</b> The premium clamp - instantly locks into place anywhere on the rail.	•	•	•		•		•			•
	 <b>Autoclavable Clamp</b> Designed for use in the sterile field.	•	•		•	•		•		•	•
FIXED CLAMPS	 <b>Easy Lock Blade Clamp</b> The premium clamp - instantly locks into place anywhere on the rail.	•	•	•			•	•			•
	 <b>Rail Clamp</b> Basic design allows for securement of blade products.	•	•	•	•		•			•	•
	 <b>Simple Clamp</b> Can be sterilised. Simple Clamp can secure over the surgical drape.	•	•	•		•			•		•



For Round Posts

## Easy Lock™ Socket #A-40023

Quite Possibly the Easiest Accessory Clamp  
In The World

No need to look for table notches when attaching the Easy Lock Socket. Attach the clamp anywhere on a standard operating table rail. Accepts any round post up to 1.8 cm (.688"). Quick and easy pull-to-release lever. Lithotomy wheel for accessory angle adjustments. Patient Weight Capacity: 363 kg (800 lbs).

### Specify Rail Type

EU #A-40023  
UK #A-40024  
US #A-40022



For Rectangular Blades

## Easy Lock™ Blade Clamp #A-40041

Quite Possibly the Easiest Blade Clamp In  
The World

No need to look for table notches when attaching the Easy Lock Blade Clamp. Attach the clamp anywhere on a standard operating table rail. Accepts all 2.5 cm x 0.6 cm (1" x .25") accessories with flat mounting blades. Quick and easy pull-to-release lever. Patient Weight Capacity: 363 kg (800 lbs).

### Specify Rail Type

EU #A-40041  
UK #A-40042  
US #A-40040





For Round Posts

## Autoclavable Clamp #A-92002

Allen's™ Autoclavable clamp is fully autoclavable and is designed for use in the sterile field. It can attach to the rail over multiple drapes and accepts accessories with a 1.6 cm (.625") wide post. The clamp provides 360° rotation for optimal positioning. For use with Allen® Arm Positioner (#A-92000) only. Patient Weight Capacity: 227 kg (500 lbs).

EU/Swiss/US #A-92002



For Round Posts

## Simple Clamp #A-40018

Innovative design allows placement under/over drapes. Durable aluminum and stainless steel construction. Attach the clamp anywhere on a standard operating table rail between rail standoffs. Holds all 1.3 cm to 1.6 cm (.5" to .625") diameter accessories. Patient Weight Capacity: 227 kg (500 lbs).

EU/US #A-40018



For Rectangular Blades

## Rail Clamp #O-RC2XUK

Securely locks accessories with flat mounting blades anywhere along the table side rail. Attaches at standard operating table rail ends or rail notches. Perfect for tabletop extensions and knee/foot board applications. Strong and lightweight replacements for original rail locks. Accessories can be mounted either vertically or horizontally. Reduces the “free play” associated with standard clamps. Accepts 2.5 cm x 0.6 cm (1" x .25") flat accessories. Patient Weight Capacity: 327 kg (720 lbs).

### Specify Rail Type

**EU/UK** #O-RC2XUK  
**US** #O-RC2



## Easy Rack #O-MR2

The Easy Rack will provide convenient storage for your stirrups, armboards, clamps, straps and other table accessories. Constructed with dent-resistant polymer. Specially designed hooks will store stirrups and can be placed onto rack just like they came off the table. No need to readjust to fit on rack. Unique key slots accept 0.6 cm x 2.5 cm (.25" x 1") flat and 1.6 cm (.625") round mounting posts without the need for clamps. Requires appropriate wall fasteners (not included).

**US** #O-MR2





Protect Your Investment

## Accessory Cart #A-30010E

The Accessory Cart provides convenient storage for most of your surgical table accessories. Six rails and a deep bin afford plenty of storing space. Optional accessory hooks allow quick and easy storage. Weighted base makes cart tip-resistant and reduces potential vibration during transport. Polymer base is dent-resistant. Heavy-duty castors roll smoothly. Two castors lock for safe and easy loading, unloading and storage.

### What's Included



**Specify Rail Type**  
 #A-30011E (EU)  
 #A-30011 (US)  
 2 Included

The Accessory Hook allows for faster product storage on our Accessory Cart. Coated prongs help protect stored product from developing scratches. Easy Lock™ design makes attachment and detachment easy.



### Specify Rail Type

**EU** #A-30010E  
**UK** #A-30010UK  
**US** #A-30010

## Stirrup Cart #A-30015

A great way to store and protect your investment, this strong and lightweight cart holds and transports your stirrups or legholders. Compact and state-of-the-art, the cart will hold any stirrup from any manufacturer. The sturdy molded four-caster polymer base is dent-resistant. The deep storage bin is a great place to store clamps and pads securely. Two casters lock for safe and easy loading, unloading and storage.



Two different size hooks allow this storage cart to hold a variety of stirrups. Hold up to a 1.9 cm (.75") rod on the smaller hook and up to a 2.5 cm (1") on the larger hook.





## Allen® Beach Chair Cart #A-90100E

The perfect companion, the Allen Beach Chair Cart conveniently stores the Allen Beach Chair and all of its accessories. The Beach Chair rests securely on sturdy rails at user height to reduce potential back strain. Optional accessory hooks allow quick and easy storage for larger accessories. Deep bin affords plenty of extra storing space. Weighted base makes cart tip-resistant and reduces potential vibration during transport. Polymer base is dent-resistant. Heavy-duty castors roll smoothly. Two castors lock for safe and easy loading, unloading and storage.



### What's Optional



**Specify Rail Type**  
 #A-30011E (EU)  
 #A-30011 (US)

The Accessory Hook allows for faster product storage on our Accessory Cart. Coated prongs help protect stored product from developing scratches. Easy Lock™ design makes attachment and detachment easy.

### Specify Rail Type

**EU** #A-90100E  
**US** #A-90100



## Bow™ Frame Cart #A-70815-EU

The Bow Frame Cart stores all of the accessories used with the frame, including the head positioner and arm supports. The Bow Frame stores securely in the deep bin of the cart. The cart's weighted base makes it tip-resistant and reduces potential vibration during transport. Polymer base is dent-resistant. Heavy-duty castors roll smoothly. Two castors lock for safe and easier loading, unloading and storage.



### Specify Rail Type

**EU** #A-70815-EU  
**UK** #A-70815-UK  
**US** #A-70815



## Easy Armboard With Trigger #O-ABSLTE

With the trigger design, simply pull the radiolucent release mechanism for full articulation and release it to lock. A spring lever accessible from both sides securely locks the armboard to the rail. Armboard measures 66 x 14 cm (26" x 5.5"). The pad width measures 15.25 cm (6"). Patient Weight Capacity: 181 kg (400 lbs). Pad not included.

### What's Required *Choose One*



#O-AMA96X2.0S  
Clamshell Armboard  
5 cm (2") Pad  
1 Required



#O-AMA96X3.0S  
Clamshell Armboard  
7.6 cm (3") Pad  
1 Required

### What's Optional



#O-A1004X3.0S 7.6 cm (3")  
#O-A1004X2.0S 5 cm (2")  
Standard Armboard Pads

### Specify Rail Type

**EU** #O-ABSLTE  
**UK** #O-ABSLTUK  
**US** #O-ABSLT

Note: All armboards are radiolucent



## Easy Armboard Lift-to-Position #O-ABSLE

Lift the end of the board and rotate to the desired position. The patient's arm weight locks the board in place when lowered. A spring lever securely locks the armboard to the rail reducing the uncertainty of gravity locks. Armboard measures 66 x 14 cm (26" x 5.5"). The pad width measures 15.25 cm (6"). Patient Weight Capacity: 181 kg (400 lbs).

### Specify Rail Type

**EU** #O-ABSLE  
**UK** #O-ABSLUK  
**US** #O-ABSL



### What's Required *Choose One*



#O-AMA96X2.0S  
Clamshell Armboard  
5 cm (2") Pad  
1 Required



#O-AMA96X3.0S  
Clamshell Armboard  
7.6 cm (3") Pad  
1 Required

### What's Optional





#O-A1004X3.0S 7.6 cm (3")  
#O-A1004X2.0S 5 cm (2")  
Standard Armboard Pads

Note: All armboards are radiolucent



## Multi-Task Armboard #O-ABMT

Provides arm support for lateral, chair, prone and neuro park bench positions. Lockable ball socket combined with 15.2 cm (6") of horizontal travel permits a wide range of positioning flexibility. Patient Weight Capacity: 227 kg (500 lbs).



### What's Required *Choose One Pad*



#A-40023 (EU)\*  
Easy Lock™ Socket  
1 Required



#O-AMA97X1.0S  
Clamshell Armboard  
2.5 cm (1") Pad  
1 Required

OR



#O-AMA12X1.0S  
Standard Armboard  
2.5 cm (1") Pad  
1 Required

\*Specify Rail Type: EU, UK, US. See product page for other part numbers.



Lateral Positioning



Seated Positioning



The Wrap-Around Pad Provides  
Protection and Stability

## LPS Arm Support #A-90002

Safely And Easily Positions Patients In Lateral, Prone And Seated Orientations

Allows for effective positioning of arms to prevent potential patient injury. The malleable hand rest enables surgeon to place patient's hand in any desired orientation. Patient Weight Capacity: 227 kg (500 lbs).

### What's Included



#A-90002  
LPS Arm Support  
1 Included



#A-AMA74  
LPS Arm Support Pad  
1 Included

### What's Required



#A-40023 (EU)\*  
Easy Lock™ Socket  
1 Required

\*Specify Rail Type: EU, UK, US. See product page for other part numbers.



Shown in Use with  
Armboard Pad

## Arm Shield #O-AS

Slides under back section pad to protect arms and keep them from falling off table. The radiolucent Arm Shield provides a comfortable safe platform for surgical staff to lean on without harming patient or dislodging IV's. Soft flexible pad provides comfortable patient cushion reducing risk of pressure related injury. Armboard Pad not included. Dimensions: 40 cm wide by 18 cm high (15.75" x 7"). Patient Weight Capacity: 227 kg (500 lbs).

### What's Included



#O-AS  
Arm Shield  
1 Included



#O-AMA53X0.6S  
Arm Shield Pad  
1 Included



## Flexible Anesthesia Screen #O-FAS

This malleable screen conforms to any shape you desire. The plastic encased metal link construction remains stable as shaped. Has 1.6 cm (.625") post.

### What's Required



#A-40023 (EU)\*  
Easy Lock™ Socket  
1 Required

\*Specify Rail Type: EU, UK, US. See product page for other part numbers.



## Comfort Mat #O-CM

### Step Onto Comfort And Feel The Difference


The Comfort Mat is a closed-cell, absorbent-resistant foam which helps reduce fatigue, pain and discomfort associated with standing for long periods of time. The beveled, low profile edges facilitate easy access to the surface. The surface measures 51 cm x 84 cm (20" x 33") but is also available in custom sizes. This non-slip surface is chemical resistant. Custom mats are priced per square inch.





## Needle Trier™ Device #A-75000

Help protect your staff from sharps injuries with the Allen® Needle Trier. This suture needle retrieval system has a large magnetic surface to easily pick up any ferrous needles and sharps as small as .15 mm (.006") diameter. Our unique design allows this magnetic sweeper to reach under the surgical table and other hard-to-reach places. The lightweight aluminum is easy to use and store. The long handle, more than 1 meter (3 feet), means you don't need to bend over to find lost sharps.



Post Moves In and Out to Accommodate Various Table Widths

## Adjustable Footboard #O-AFB €€

Adjustable width accommodates outside rail dimensions of 53 cm - 59 cm (21" - 23.25"). Attaches horizontally as a table extension to accommodate taller patients or vertically as a foot support. Easily mounts to the foot section side rails of a standard operating table. Radiolucent construction permits unhindered imaging. Includes 5 cm (2") premium pressure management pad to reduce heel pressure. Patient Weight Capacity: 227 kg (500 lbs).

### What's Included



#O-AFB  
Adjustable Footboard  
1 Included



#O-AMA122X2.0R  
Adjustable  
Footboard Pad  
1 Included

### What's Required



#O-RC2XUK (EU/UK)\*  
Rail Clamp

\*Specify Rail Type: EU/UK, SWISS, US. See product page for other part numbers.



#O-PRSH Hooks



Portable and Easy to Use.  
No Clamps Required.

## Security Straps #O-PRSLH, #O-RSX2

Loops around the side rail for simple table attachment and adjusts easily with buckles. Patient Weight Capacity: 227 kg (500 lbs).

**#O-PRSLH** Medium Security Strap (without hooks)

- Soft padded center section is 1.2 cm (.5") thick, 12.7 cm (5") wide, 46 cm (18") long.
- Strap is adjustable from 46 cm - 114 cm (18" - 45")

**#O-RSX2** Large Security Strap (without hooks)

- Soft padded center section is 1.2 cm (.5") thick, 15.2 cm (6") wide, 61 cm (24") long.
- Strap is adjustable from 61 cm - 203 cm (24" - 80")

## What's Optional



#O-PRSH  
Patient Security  
Strap Hooks  
2 Required



Integral Rail Clamp

## Table Width Extender 10 cm (4") #O-TWEE

Increases the support surface for larger patients. Clips easily with integral locking mechanism to the rail. Can be used individually or in multiples to create a custom platform. Support surface measures 10 cm x 51 cm (4" x 20"). Includes side rail for mounting stirrup clamps, armboards and other accessories. Call Sales Dept. for replacement pad info. Patient Weight Capacity: 181 kg (400 lbs).

### Specify Rail Type

**EU** #O-TWEE  
**UK** #O-TWEUK  
**US** #O-TWE

### Pad Sizes

<b>2.5 cm (1")</b>	<b>#O-AMA34X1.0S</b>
<b>5 cm (2")</b>	<b>#O-AMA34X2.0S</b>
<b>7.6 cm (3")</b>	<b>#O-AMA34X3.0S</b>
<b>10 cm (4")</b>	<b>#O-AMA34X4.0S</b>



Integral Clamps

## Nissen Thigh Straps #O-NTSE €€

Secure patients from sliding during steep reverse Trendelenburg procedures such as Nissen Fundoplication. Conductive straps encircle each upper thigh with a broad soft pad. Airplane style buckle permits convenient length adjustment. Pad is 11.4 cm (4.5") wide and 51 cm (20") long. Straps are adjustable up to 122 cm (48"). Patient Weight Capacity: 227 kg (500 lbs). (Sold In Pairs)

### Specify Rail Type

EU #O-NTSE  
UK #O-NTSUK  
US #O-NTS



Note: Nissen Thigh Straps are Sold in Pairs

## Bariatric Nissen Thigh Straps #A-80400E €€

Bariatric Nissen Thigh Straps offer the support larger patients need during steep reverse Trendelenburg positioning. The pad is wide and long to offer comfortable support. Integral clamps attach to rail securely. Patient Weight Capacity: 454 kg (1,000 lbs).

- Pad is 18 cm (7") wide and 79 cm (31") long
- Straps are adjustable in usable-length up to 179 cm (70")

### Specify Rail Type

EU #A-80400E  
UK #A-80400UK  
US #A-80400

# Product Index *Alphabetical*

## #

---

4-Post System 31

## A

---

Accessory Cart 94  
Adjustable Accessory Rail & Clamp 37  
Adjustable Footboard 99  
Advance Flat Top Pad 40  
Advance Lateral Air Compressor 21  
Advance Prone Support Set 16  
Advance Table 13  
Advance Table Complete Package 17  
Advance Table H-Brackets 18  
Advance Table Lateral Set 20  
Advance Table Pinless H-Bracket 19  
Advance Table Premium Package 17  
Advance Table Standard H-Bracket 18  
Advance Table Standard Package 14, 20  
Anesthesia Screen, Flexible 98  
AP-Vantage, C-Flex 35  
Armboards  
    Articulating Arm Support 38  
    Easy Armboard Lift-to-Position 96  
    Easy Armboard With Trigger 39, 96  
    LPS Arm Support 68, 97  
    Multi-Task Armboard 39, 97  
Arm & Hand Tables  
    Carbon Lights Hourglass Table 83  
    Carbon Lights Minor Procedures Table 82  
    Carbon Lights Rectangular Table 82  
Arm Positioner 67  
Arm Positioner Sterile Disposables 69  
Arm Shield 98  
Arm Support, LPS 68, 97  
Arm Traction Device 71  
Arm Trap Disposables 72  
Arthroscopic Well-Leg Holder 79  
Articulating Arm Support 38  
Autoclavable Clamp 92

## B

---

Bariatric  
    Nissen Thigh Straps 101  
Beach Chairs  
    Beach Chair Cart 70, 95  
    Counter-Traction Brace 68  
    Counter-Traction Strap 68  
    FlexiForm Head Rest Pad Disposables 69  
    Lift-Assist Beach Chair 61  
    LPS Arm Support 68  
    Reusable Pad Set 70  
Boot Pads

    FootHugger Boot Pad 51  
Boot, Traction 77  
Bow Frame 29  
Bow Frame Skin Care Covers Kit 41  
Bow Frame Standard Covers Kit 41  
Braces  
    Arthroscopic Stress Post 73  
    Counter-Traction Brace 68  
    Counter-Traction Strap 68  
    Lateral Braces 72  
    Security Straps 100

## C

---

Carbon Lights Hourglass Table 83  
Carbon Lights Minor Procedures Table 82  
Carbon Lights Rectangular Table 82  
Carts  
    Accessory Cart 94  
    Beach Chair Cart 70, 95  
    Bow Frame Cart 95  
    Stirrup Cart 94  
Cervical Traction Bar 18  
Cervical Traction Device 18  
C-Flex Accessories 33  
C-Flex AP-Vantage System 35  
C-Flex Head Positioning System 33  
Clamps  
    Autoclavable 92  
    Easy Lock Blade Clamp 91  
    Easy Lock Socket 91  
    Flex Frame Clamp Set 37  
    Rail Clamp 93  
    Simple Clamp 92  
Comfort Mat 98  
Counter-Traction Brace 68  
Counter-Traction Strap 68  
C-Prone 25  
Cysto-Lift Knee Crutch 54

## D

---

Disposables  
    Arm Positioner Sterile Disposables 69  
    Arm Trap Disposables 72  
    Bow Frame Skin Care Covers Kit 41  
    Bow Frame Standard Covers Kit 41  
    C-Flex System Clean Cape Disposables 42  
    Comfort Cover Disposables 42  
    Comfort Mask Disposables 42  
    Easy Catcher Disposable System 57  
    Finger Trap Disposables, Sterile Mesh 84  
    FlexiForm Head Rest Pad Disposables 69  
    Leg Holder Disposable Pads 78  
    Universal Head Restraint Disposables 69  
Drapes

Clear View 55  
Uro Catcher Drapes 55

## E

---

Easy Armboard Lift-to-Position 96  
Easy Armboard With Trigger 39, 96  
Easy Catcher Disposable System 57  
Easy Irrigation Tower 87  
Easy Lock Blade Clamp 91  
Easy Lock Socket 91  
Easy Rack 93  
Equalizer, The 85

## F

---

Finger Trap Disposables, Sterile Mesh 84  
Finger Trap Sizing Kit 84  
Finger Traps Sizing Kit 84  
Finger Trap Sterile Starter Kit 84  
Flex Frame Clamp Set 37  
Flexible Anesthesia Screen 98  
FlexiForm Head Rest Pad Disposables 69  
Foam Head Block Stand 29  
Footboard, Adjustable 99  
FootHugger Boot Pad 51

## H

---

Hand Positioner, Schlein 83  
H-Brackets, Advance Table 18  
Head Positioner, Universal 65  
Hug-U-Vac Lateral Positioners 75  
Hug-U-Vac Steep Trend Positioners 59

## I

---

Irrigation Tower, Easy 87

## K

---

Knee Crutches  
Cysto-Lift 54  
Simplicity Knee Crutch 54  
Knee Stabilizer, Total 73

## L

---

Lateral Braces 72  
Lateral Positioners, Hug-U-Vac 75  
Leg Holder, Deluxe Arthroscopic 78  
Leg Holder Disposable Pads 78

LPS Arm Support 68, 97

## M

---

Mat, Comfort 98  
Multi-Task Armboard 39

## N

---

Needle Trier Device 99  
Nissen Thigh Straps 101  
Nissen Thigh Straps, Bariatric 101

## O

---

Offset Accessory Rail - Left 21  
Offset Accessory Rail - Right 21

## P

---

Pads  
Advance Flat Top Pad 40  
Astrus Elite Supine Top Pad 40  
FootHugger Boot Pad 51  
Junior PAL Clamshell Pad 53  
Little PAL Clamshell Pad 53  
Ultrafins Clamshell Pad 47  
PAL, Junior Stirrups 53  
PAL, Little Stirrups 53  
PAL Pro Stirrups 51  
Patient Transfer Board 89  
Pediatric Stirrups 53  
Prepper Device, The 73

## R

---

Rack, Easy 93

## S

---

Schlein Hand Positioner 83  
Security Straps 100  
Shoulder Supports 55  
Shoulder Suspension System, Weightless 71  
Simplicity Knee Crutch 54  
Spine  
4-Post System 31  
Adjustable Accessory Rail & Clamp 37  
Advanced Arm Support 38  
Advance Flat Top Pad 40  
Advance Prone Support Set 16  
Advance Table 13



# Product Index *Alphabetical*

Advance Table Complete Package 17  
Advance Table H-Brackets 18  
Advance Table Lateral Set 20  
Advance Table Premium Package 17  
Advance Table Standard Package 14, 20  
Articulating Arm Support 38  
Astrus Elite Supine Top Pads 40  
Bow Frame 29  
Bow Frame Skin Care Covers Kit 41  
Bow Frame Standard Covers Kit 41  
Cervical Traction Bar 18  
Cervical Traction Device 18  
C-Flex AP-Vantage System 35  
C-Flex Head Positioning System 33  
C-Flex System Clean Cape Disposables 42  
Comfort Cover Disposables 42  
Comfort Mask Disposables 42  
C-Prone 25  
Flex Frame Armboard Rail 36  
Flex Frame OR Table Clamp Set 24, 37  
Flex Frame Spine System 23  
Prone Arm Support 38  
Spine System Lateral Package 25  
Supine Top Set 40  
Wingset Body Positioners 27  
Stirrup Cart 94  
Stirrups  
    Junior PAL Pediatric Stirrup 53  
    Little PAL Pediatric Stirrup 53  
    PAL Pro Stirrups 51  
    Ultrafins Stirrups 47  
    Yellofins Elite Stirrups 49  
    Yellofins Stirrups 49  
    Yellofins without Lift-Assist 49  
Stress Post, Arthroscopic 73  
Supine Top Set 40

## T

---

Table Width Extender 100  
Total Knee Stabilizer 73  
Traction Boot 77  
Transfer Board, Patient 89

## U

---

Ultrafins Stirrups 47  
Universal Head Positioner 65  
Universal Head Restraint Disposables 69  
Uro Catcher  
    Uro Catcher Drapes 55  
    Uro Catcher System 55

## W

---

Weightless Shoulder Suspension System 71  
Well-Leg Holder, Arthroscopic 79  
Wingset, Chest 27  
Wingset, Chest, Radiolucent Screws 27  
Wingset, Contour Breast Positioner 27  
Wingset, Hip, Cut-Out 27  
Wingset, Hip, Radiolucent Screws 27  
Wingset, Pediatric 27  
Wingset, Standard 27  
Wrist Arthroscopy System 85

## Y

---

Yellofins Elite Stirrups 49  
Yellofins Reusable Pad 49  
Yellofins Stirrups 49

# Product Index *By Part Number*

A-10015	Deluxe Arthroscopic Leg Holder 78
A-10028-C	FootHugger Boot Pads 51
A-10052	PAL Pro Stirrups 51
A-10055	Paediatric Stirrup Package 53
A-10056	Junior PAL Stirrups 53
A-10057	Little PAL Stirrups 53
A-20500	Arm Traction Device 71
A-20750	Schlein Hand Positioner 83
A-21200	Sterile Arm Trap Disposables 72
A-30010E	Accessory Cart (EU) 94
A-30010UK	Accessory Cart (UK) 94
A-30015	Stirrup Cart 94
A-30410-C	Carbon Lights Minor Procedures Table 82
A-30450-C	Carbon Lights Rectangular Table 82
A-30650-C	Carbon Lights Hourglass Table 83
A-40018	Simple Clamp (EU/US) 92
A-40022	Easy Lock Socket (US) 91
A-40023	Easy Lock Socket (EU) 91
A-40024	Easy Lock Socket (UK) 91
A-40040	Easy Lock Blade Clamp (US) 91
A-40041	Easy Lock Blade Clamp (EU) 91
A-40042	Easy Lock Blade Clamp (UK) 91
A-60001	Allen Hug-U-Vac Steep Trend Positioner 59
A-60002	Allen Hug-U-Vac Lateral Positioner (Large) 75
A-60003	Allen Hug-U-Vac Lateral Positioner (Standard) 75
A-60005	Allen Hug-U-Vac Large Steep Trend Positioner 59
A-60010	Steep Trend Positioners Package 59
A-63500	Shoulder Supports 55
A-63500PAD	Shoulder Supports Replacement Pads 55
A-63600	Allen Steep Trend Secondary Supports 59
A-70000	Allen Spine System (Standard System with C-Prone) 23
A-70002	Allen Spine System (Premium System with C-Flex) 23
A-70110	C-Flex AP-Vantage (with C-Flex System) 35
A-70111	C-Flex AP-Vantage (without C-Flex System) 35
A-70200	Standard Wingset System 27
A-70230	Spine System Lateral Package 25
A-70260	Comfort Cover Disposables 42
A-70270	Contour Breast Positioner 27
A-70300	C-Prone Head Positioner 25
A-70310	Comfort Mask Disposables 42
A-70400	Supine Top Set 40
A-70434	Astrus Elite 5 cm (2") Supine Top Pads 40
A-70435	Astrus Elite 7.6 cm (3") Supine Top Pads 40
A-70436	Allen Advance Flat Top Pad 40
A-70500	Armboard Rail 36
A-70501	Short Accessory Rail 36
A-70502	Long Accessory Rail 36
A-70510	Flex Frame Operating Table Clamp Set 37
A-70610	Prone Arm Support 38
A-70615-US	Advanced Arm Support 38
A-70700	C-Flex Head Positioning System 33
A-70702	C-Flex Clean Cape Disposables 42
A-70800	Allen Bow Frame 29
A-70805	Bow Frame Standard Covers Kit 41
A-70810	Bow Frame Skin Care Covers Kit 41
A-70810C	Bow Frame Skin Care Covers 41
A-70815	Bow Frame Cart (US) 95
A-70815-EU	Bow Frame Cart (EU) 95
A-70815-UK	Bow Frame Cart (UK) 95

A-70825	Head Block Stand 29
A-70862	Allen Foam Head Block 41
A-71001	Allen Advance Table Standard Package 14
A-71002	Allen Advance Table Premium Package 17
A-71003	Allen Advance Table Complete Package 17
A-71200	4-Post System, Standard Height Package 31
A-71201	4-Post System, Low Height Package 31
A-71261	Allen Advance Ultra Comfort Covers, Small 42
A-71262	Allen Advance Ultra Comfort Covers, Medium 42
A-71263	Allen Advance Ultra Comfort Covers, Large 42
A-71300	Allen Advance Table Prone Support Set 16
A-71319	Articulating Arm Support 38
A-71402	Advance Table Standard H-Bracket 18
A-71413	Advance Pendant 15
A-71404	Cervical Traction Bar 18
A-71414	Pinless Brackets & Cervical Traction Device Pinless Package 19
A-71415	Pinless Brackets & Cervical Traction Device Pinless Package 19
A-71417	Cervical Traction Device 18
A-71416	Advance Table Pinless H-Bracket 19
A-71501-EU	Adjustable Accessory Rail (EU) 37
A-71501-UK	Adjustable Accessory Rail (UK) 37
A-71501-US	Adjustable Accessory Rail (US) 37
A-71502	Clamp for Adjustable Accessory Rail 37
A-71600	Advance Accessory Cart 15
A-71701	Advance Lateral Top 21
A-71702-L	Advance Lateral Bracket 21
A-71702-P	Advance Prone Bracket 21
A-71703	Advance Lateral Top Pad 21
A-71704	Advance Lateral Air Bladder 21
A-71705-EU	Advance Lateral Air Compressor 21
A-71706	Advance Lateral Draw Sheet 21
A-71709	Air Compressor Tube Set 21
A-75000	Needle Trier Device 99
A-80400	Bariatric Nissen Thigh Straps (US) 101
A-80400E	Bariatric Nissen Thigh Straps (EU) 101
A-80400UK	Bariatric Nissen Thigh Straps (UK) 101
A-83000	Long, Wide Patient Transfer Board 89
A-83001	Short, Narrow Patient Transfer Board 89
A-83005	Long, Narrow Patient Transfer Board 89
A-90001	Counter-Traction Brace 68
A-90002	LPS Arm Support 68, 97
A-90015	Counter-Traction Strap 68
A-90019	FlexiForm Head Rest Pad Disposables 69
A-90020	Beach Chair Reusable Pad Set 70
A-90023	Universal Head Restraint Disposables 69
A-90026	Universal Head Positioner 65
A-90040	Lift-Assist Beach Chair Reusable Pad Set 70
A-90100	Allen Beach Chair Cart (US) 95
A-90100E	Allen Beach Chair Cart (EU) 95
A-91500	Allen Lift-Assist Beach Chair 61
A-92000	Allen Arm Positioner 67
A-92001	Allen Arm Positioner Sterile Disposables 69
A-92002	Autoclavable Clamp 92
A-93000	Allen Traction Boot 77
A-93001	Traction Boot Disposable 77
O-A1004X3.0S	Standard Armboard 7.6 cm (3") Pad 39
O-A1004X2.0S	Standard Armboard 5 cm (2") Pad 39
O-ABMT	Multi-Task Armboard 39, 97
O-ABSLE	Easy Armboard Lift-to-Position 96
O-ABSLTE	Easy Armboard With Trigger 96
O-AFB	Adjustable Footboard 99
O-AMA12X1.0S	Standard Armboard 2.5 cm (1") Pad 39
O-AMA34X1.0S	Table Width Extender 2.5 cm (1") Pad 100

O-AMA34X2.0S	Table Width Extender 5 cm (2") Pad 100
O-AMA34X3.0S	Table Width Extender 7.6 cm (3") Pad 100
O-AMA34X4.0S	Table Width Extender 10 cm (4") Pad 100
O-AMA96X2.0S	Clamshell Armboard 5 cm (2") Pad 39
O-AMA96X3.0S	Clamshell Armboard 7.6 cm (3") Pad 39
O-AMA97X1.0S	Clamshell Armboard 2.5 cm (1") Pad 39
O-AS	Arm Shield 98
O-ASP	Arthroscopic Stress Post 73
O-AWLH	Arthroscopic Well-Leg Holder 79
O-CLK	Cysto-Lift Knee Crutch 54
O-CM	Comfort Mat 98
O-CVD	Clear View Drape 55
O-EC51-EU	Easy Catcher Disposable System: Sterile 57
O-EC52-EU	Easy Catcher Disposable System: Non-Sterile 57
O-FAS	Flexible Anesthesia Screen 98
O-KCP	Simplicity Knee Crutch 54
O-LPA	Easy Irrigation Tower 87
O-LPS	The Prepper Device 73
O-MR2	Easy Rack (US) 93
O-NTS	Nissen Thigh Straps (US) 101
O-NTSE	Nissen Thigh Straps (EU) 101
O-NTSUK	Nissen Thigh Straps (UK) 101
O-PRSLH	Medium Security Strap 100
O-RC2	Rail Clamp (US) 93
O-RC2XUK	Rail Clamp (EU/UK) 93
O-RSX2	Large Security Strap 100
O-TKS	Total Knee Stabilizer with Pad 73
O-TWE	Table Width Extender 10 cm (4") US Rail 100
O-TWEE	Table Width Extender 10 cm (4") EU Rail 100
O-TWEUK	Table Width Extender 10 cm (4") UK Rail 100
O-UC31	Uro Catcher Drapes, Sterile 55
O-UC32	Uro Catcher Drapes, Non-Sterile 55
O-UC4	Uro Catcher System (US) 55
O-UC4E	Uro Catcher System (EU) 55
O-UC4UK	Uro Catcher System (UK) 55
O-UFAS	Ultrafins Stirrups 47
O-UPBL3S	Lateral Braces 72
O-YFASI	Yellofins with Lift-Assist 49
O-YFES	Yellofins Elite with Lift-Assist 49
O-YFSI	Yellofins without Lift-Assist 49
R-30522-888	Finger Trap Disposables Single Starter Kit 84
R-30522-999	Finger Trap Disposables Double Starter Kit 84
R-50522-1	Finger Trap Sizing Kit 84
R-644-36	Weightless Shoulder Suspension System 71
R-734-05	The Equalizer 85
R-734-10	Wrist Arthroscopy System 85
R-S4133-V	Leg Holder Disposable Pads 78

## Warranty Information

Allen products shall be free from defects in material and workmanship for a period two (2) years. There are exceptions to this as defined by the product groups or types as detailed below. Exceptions to the two (2) year warranty carry a one (1) Year Warranty as follows:

- Allen® Advance Table
- Advance Table L2P™ Platform
- Allen Hug-U-Vac™
- Pad products inclusive of the following:
  - Gel Pads, Vacu-Gel™, Vacu-Form™
- Foam Positioners

Warranty does not cover misuse, abuse, neglect, or lack of routine maintenance. In order for an item to be eligible for warranty, the serial or lot number must be on the product. Contact Customer Service or your Allen Representative for additional warranty information.

## Copyright and Trademark Information

Copyright 2018, Allen Medical Systems, Inc. Allen® is a registered trademark of Allen Medical Systems.

Active Heel™, Bow™, C-Flex™, Carbon Lights™, Clear View™, Contour™, Easy Catcher™, Easy Lock™, FlexiForm™, FootHugger™, Hug-U-Vac™, Lift-Assist™, Needle Trier™, PAL™, PAL Pro™, Simplicity™, The Prepper™, Ultrafins™, Universal™, Uro Catcher™, Vacu-Form™, Vacu-Gel™, Yellofins™ are trademarks of Allen Medical Systems.

CoFlex® is a registered trademark of Paradigm Spine, LLC. DORO® is a registered trademark of Pro Med Instruments GmbH. Linvatec® is a registered trademark of Conmed Corporation. Maquet® is a registered trademark of Maquet GmbH. Mayfield® is a registered trademark of SM USA, Inc. Orthovision® is a registered trademark of the American Sterilizer Company. Ovation® is a registered trademark of Mizuho Orthopedic Systems, Inc. Schaerer® is a registered trademark of Schaerer Medical Management. Steris® is a registered trademark of Steris, Inc. Tyvek® is a registered trademark of E.I. du Pont de Nemours and Company. Velcro® is a registered trademark of Velcro Industries, BV.

McConnell™ is a trademark of McConnell Orthopedic Manufacturing Company. Wilson™ is a trademark of Mizuho Orthopedic Systems, Inc. All other trademarks are property of their respective companies.

## Products Are Not Made With Natural Rubber Latex



## Product Serial Number Information

Allen Medical Systems' equipment (hard goods) is serialised and includes a serial number label. There are two types of labels (white or silver). Both contain six digits which may be preceded with a letter.




Type 1



Type 2

All Sterile and most non-sterile disposable products contain a lot number on the outside package/box.




Surfaces and Pads have a letter/digit date code on the label that is attached to the underside of the pad.



*In order for an item to be eligible for warranty, the serial or lot number must be on the product.*

# Want More? Visit Us Online



[www.allenmedical.com](http://www.allenmedical.com)

- Our entire product catalog is right at your fingertips with a simple navigation and search option.
- Access our PDF and Video library for even more information on our products.
- Quickly and easily request product information, quotes or live sales representative demonstrations.
- Responsive design makes for a great experience on desktop or mobile devices.

## Follow Hill-Rom On Social Media

*We want to hear from you.*

*Share a photo or post featuring our products then tag us and use #hillrom for a chance to be featured!*



Search for "Hill-Rom"



@HillRomCorp



@HillRomCorp



Search for "Hill-Rom"



Hill-Rom is a leading global medical technology company with more than 10,000 employees worldwide. We partner with health care providers in more than 100 countries, across all care settings, by focusing on patient care solutions that improve clinical and economic outcomes in five core areas: **Advancing Mobility, Wound Care and Prevention, Patient Monitoring and Diagnostics, Surgical Safety and Efficiency and Respiratory Health**. Our innovations ensure caregivers have the products they need to help diagnose, treat and protect their patients; speed up recoveries; and manage conditions. [Every day, around the world, we enhance outcomes for patients and their caregivers.](#) Learn more at [hill-rom.com](http://hill-rom.com).

**PATENTS / PATENT** [www.hill-rom.com/patents](http://www.hill-rom.com/patents)

The products in this catalog may be covered by one or more patents. See above Internet address.

Allen Medical Systems, Inc. is a Hill-Rom subsidiary. Hill-Rom & Allen are the proprietors of European, US, and other patents and pending patent applications.

Allen Medical Systems, Inc. reserves the right to make changes without notice in design, specifications and models. The only warranty Allen Medical Systems, Inc. makes is the express written warranty extended on the sale of its products.

Products may be comprised of new, refurbished and recycled materials. All refurbished and recycled materials meet our stringent new product specifications.

© 2018 Allen Medical Systems Inc. ALL RIGHTS RESERVED.

D-770144-B5

For further information about these products or a service, please contact your local Allen representative or visit our webpage:

Sales +1 978 266 4256  
Cust. Service +1 978 266 4286  
Fax +1 978 266 4426  
[alleninternationalorders@hill-rom.com](mailto:alleninternationalorders@hill-rom.com)

Allen Medical, 100 Discovery Way, Acton, MA 01720

[www.allenmedical.com](http://www.allenmedical.com)

Enhancing outcomes for  
patients and their caregivers:

**Hill-Rom**